

ROLLER CABS & CONTAINERS

LOOSE TOOLS

TRAYS

		N° of pieces	ROLLER CABS & CONTAINERS														
			RSC22	RSC23	RSC23C	RSC23T	RSC24/5	RSC24/6	RSC24/7	RSC24A/7	RSC24/8	RSC24A/8	RSC24AXL/9	C25	C27S	RSRSC28	C30M
without supports	5902MT	Earth moving	106	☐ 462	☐ 462	☐ 462											
	5902MT/AS	Earth moving	99	☐ 463	☐ 463	☐ 463											
	5902VI	Industrial maintenance	107	☐ 429	☐ 429		☐ 429						☐ 429	☐ 429			
	5904VG/3	Car repair	132					☐ 466	☐ 466	☐ 466	☐ 466						
	5905VG/1	Car repair	94										☐ 469				
	5905VG/2	Car repair	118										☐ 470				
	5910VI/3	Industrial maintenance	297														☐ 433
	5954VG	Car repair	138														
	5954VI	Industrial maintenance	133														
	5957U-P	Industrial maintenance	133														
5957VG	Car repair	174															
5957VI	Industrial maintenance	162															
5958U	Industrial maintenance	85															
soft modules	5904VG/2M	Car repair	170				☐ 464	☐ 464	☐ 464	☐ 464	☐ 464	☐ 464				☐ 464	
	5904VU/1M	Industrial maintenance	91				☐ 438	☐ 438	☐ 438	☐ 438	☐ 438	☐ 438				☐ 438	
	5904VU/2M	Industrial maintenance	151				☐ 438	☐ 438	☐ 438	☐ 438	☐ 438	☐ 438				☐ 438	
	5927VU/M	Industrial maintenance	108	☐ 448	☐ 448	☐ 448								☐ 448			
	5935ET/1MB	Electrotechnical	96														
	5935VG/1MB	Car repair	98														
	5935VI/2MB	Industrial maintenance	133														
	5945VUM	Industrial maintenance	231														
	5988H/7M	Bicycle and motorcycle repairs	333									☐ 454	☐ 454			☐ 454	
	5988L/4M	Car repair	273					☐ 455	☐ 455	☐ 455	☐ 455	☐ 455					
	5988U6/M	Industrial maintenance	214							☐ 456	☐ 456	☐ 456				☐ 456	
	5988U/7M	Industrial maintenance	215				☐ 444	☐ 444	☐ 444	☐ 444	☐ 444	☐ 444				☐ 444	
	5988VHB-MQ	Electrotechnical	66				☐ 460	☐ 460	☐ 460	☐ 460	☐ 460	☐ 460				☐ 460	
	5904VI/1T	Industrial maintenance	98				☐ 429	☐ 429	☐ 429	☐ 429	☐ 429	☐ 429				☐ 429	
	5904VI/2T	Industrial maintenance	153				☐ 430			☐ 430	☐ 430	☐ 430				☐ 430	
	5904VI/3T	Industrial maintenance	142								☐ 431	☐ 431				☐ 431	
	5904VG/2T	Car repair	99				☐ 465	☐ 465	☐ 465	☐ 465	☐ 465	☐ 465				☐ 465	
	5904VG/3T	Car repair	102				☐ 467	☐ 467	☐ 467	☐ 467	☐ 467	☐ 467				☐ 467	
	5904VG/5T	Car repair	153				☐ 468		☐ 468	☐ 468	☐ 468	☐ 468				☐ 468	
	5904VU/2T	Industrial maintenance	104				☐ 439	☐ 439	☐ 439	☐ 439	☐ 439	☐ 439				☐ 439	
	5904VU/3T	Industrial maintenance	146				☐ 440	☐ 440	☐ 440	☐ 440	☐ 440	☐ 440				☐ 440	
	5904VU/4T	Industrial maintenance	197				☐ 441	☐ 441	☐ 441	☐ 441	☐ 441	☐ 441					
	5908VG/2T	Car repair	212														☐ 471
	5908VI/2T	Industrial maintenance	232								☐ 432	☐ 432				☐ 432	
	5908VU/2T	Industrial maintenance	161				☐ 442		☐ 442	☐ 442	☐ 442	☐ 442				☐ 442	
5910VG/3T	Car repair	202														☐ 472	
5910VI/3T	Industrial maintenance	261														☐ 434	
5938U/2T	Industrial maintenance	210															

5902VI

assortment of 107 tools

► Industrial maintenance

Quantity/Description

- 6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm
- 1 centre punch Ø 3 mm
- 1 flat chisels, ribbed type 200 mm
- 26 combination wrenches 6÷32 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 30x32 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 adjustable wrench 300 mm
- 13 1/2" square drive hexagon sockets with rail Ø 10÷22 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓞ
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish 160 mm
- 1 compound leverage shears, straight blades 250 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish 160 mm
- 8 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm
- 4 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1 engineer's hammer 500 g
- 1 dead blow hammer Ø 40 mm
- 1 engineer's scribe
- 1 measuring tape 5 m
- 1 metric feeler gauge
- 5 Set of 5 second-cut files, with handles 200 mm
- 1 hacksaw frame, aluminium handle
- 1 metal oil can 300 cc
- 1 snap - off blade utility knife
- 1 magnetic, articulated lamp with high-brightness LEDs

Beta N.	
31	
32	
35	
42/S26	
55/S12	
96N/SC9	
111	
920A/SB13	
920/21	
920/22	
920/25	
920/42	
920/55	
1048	
1052	
1084GBM	
1122	
1128BMX	
1150GBM	
1166GBM	
1260	
1262	
1370	
1392	
1688A	
1692	
1708/20	
1719BMA - S5	
1726BM	
1751	
1771BM	
1837F	

5902VI

059021060

Assortment recommended in combination with RSC22 - RSC23 - RSC23T - C25 - C27S

5904VI/1T

assortment of 98 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 19 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓞ
- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22-24-27-30-32 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers 160 mm
- 1 half-round needle nose pliers 180 mm
- 1 Extra-long needle nose pliers 160 mm
- 1 circlip pliers straight, internal Ø 180 mm
- 1 circlip pliers bent, internal Ø 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 5 second cut files 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 4 screwdrivers for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 mm
- 6 T-handle wrenches with hexagon male ends Ø 2,5 - 3 - 4 - 5 - 6 - 8 mm

Beta N.	TR
920A	T80
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
42	T05
42	T106
1048	T153
1052	T153
1084	T138
1150	T138
1166	T138
1032	T145
1034	T145
1036	T145
1038	T145
35	T234
1719BMA8/S5	T236
1370	T234
1390	T234
55	T33
96/SC9	T33
1260	T208
1262	T208
951	T68



T80 T05 T06



T153 T138 T145 T236



T234 T33 T208 T68

5904VI/1T

059041161

Assortment recommended in combination with RSC24 - RSC24A - RSC24AXL - C37 - C39 with 6 - 7 - 8 drawers
RSC23T - C39T - RSC24L - RSC24L-CAB - C59 - C55 - RSC28 - C39MD - C39SM

5904VI/2T

assortment of 153 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 double ended offset ring wrenches 6÷29 mm
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 13 1/4" hexagon sockets \odot 4÷14 mm
- 6 1/4" socket drivers for hexagon screws \odot 2,5÷8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \oplus
- 9 screwdrivers for slotted head screws \bullet 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 -
6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 -
PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 5 second cut files 200 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 riveting pliers
- 100 aluminium rivets 2,9x6 mm
- 100 aluminium rivets 3,2x8 mm
- 100 aluminium rivets 3,8x10 mm
- 100 aluminium rivets 4x12 mm
- 100 aluminium rivets 4,8x12 mm
- 1 measuring tape
- 1 mini hacksaw frame
- 1 plastic oil bottle
- 1 snap - off blade utility knife

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
90	T40
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900B/G/30	T91
900/42	T91
900/55	T91
1260	T167
1260N	T167
1262	T168
1262N	T168
1048	T153
1052	T153
1084	T138
1166	T138
1150	T138
1032	T145
1034	T145
1036	T145
1038	T145
951	T68
1719BMA8/S5	T236
35	T234
1370	T234
1390	T234
1741B	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1692	T289
1725CR	T289
1755	T289
1771	T289



T05 T06 T31



T40 T83 T91



T167 T168



T153 T138 T145 T68



T236 T234 T281 T289

5904VI/2T

059041164

Assortment recommended in combination with RSC24 with 7 - 8 drawers - RSC24A with 7 - 8 drawers - C37 with 7 - 8 drawers - RSC24AXL - C39 with 7 - 8 drawers RSC24L - RSC24L-CAB - C59 - C55 - RSC23T - RSC28 - C39MO - C39SM

5904VI/3T

assortment of 142 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 9 screwdrivers for slotted head screws ● 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws ● PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 7 drivers for Torx® head screws ○ T6-T7-T8-T9-T10-T15-T20
- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm
- 8 double ended bi-hex tubular socket wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 mm
- 1 tommy bars for tubular wrenches
- 1 tommy bars for tubular wrenches
- 6 T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers < 160 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 circlip pliers straight, internal ○ 140 mm
- 1 circlip pliers bent, internal ○ 225 mm
- 1 circlip pliers straight, external ● 140 mm
- 1 circlip pliers bent, external ● 225 mm
- 1 engineer's hammer 400 g
- 1 soft face hammer Ø 35 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 digital vernier
- 1 flexible graduated rule 300 mm
- 1 measuring tape 5 m
- 1 riveting pliers 250 mm
- 100 aluminium rivets 2,9x6 mm
- 100 aluminium rivets 3,2x8 mm
- 100 aluminium rivets 3,8x10 mm
- 100 aluminium rivets 4x12 mm
- 100 aluminium rivets 4,8x12 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 hacksaw frame, aluminium handle
- (5) blades for hacksaw
- 1 plastic oil can 200 cc
- empty thermoformed tray

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
1260	T167
1260N	T167
1262	T202
1267TX	T205
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
930	T73
940/1	T73
940/2	T73
951	T68
1150BM	T137
1166BM	T137
1084BM	T137
1048	T153
1052	T153
1032	T145
1034	T145
1036	T145
1038	T145
1032	T146
1034	T146
1036	T146
1038	T146
1038	T146
1370	T231
1390	T231
1719BMA8/T	T231
1719BMA8/P	T231
1719BMA8/M	T231
1651DGT	T297
1682	T297
1691BM	T297
1741B	T281
1741RV..K	T281
1741RV..K	T281
1741RV..K	T281
1741RV..K	T281
1741RV..K	T281
1112	T285
1128BM	T285
1726	T285
1728BM	T285
1753	T285
VP6	VP6



T05 T06 T31



T167 T202 T205



T80 T73 T68



T137 T153 T145 T146



T231 T297 T281



T285 VP6

5904VI/3T

059041168

Assortment recommended in combination with RSC24 with 8 drawers - RSC24/A with 8 drawers - C37 with 8 drawers - C39 with 8 drawers RSC24AXL with 8-9 drawers - RSC28 - C39MO - C39SM - C55 - C59B

5908VI/2T

assortment of 232 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet $\text{\textcircled{R}}$
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 13 1/4" hexagon sockets \odot 4+14 mm
- 6 1/4" socket drivers for hexagon screws \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive spinner handle
- 1 1/4" drive universal joint
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet $\text{\textcircled{R}}$
- 6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 5 double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm
- 7 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 3 screwdrivers for slotted head screws \bullet 8x200 - 10x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm
- 2 screwdrivers for cross head Phillips® screws \oplus PH3x150 - PH4x200 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 riveting pliers 250 mm
- 100 aluminium rivets 2,9x6 mm
- 100 aluminium rivets 3,2x8 mm
- 100 aluminium rivets 3,8x10 mm
- 100 aluminium rivets 4x12 mm
- 100 aluminium rivets 4,8x12 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 5 Set of 5 second-cut files, with handles 200 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers \llcorner 160 mm
- 5 pin punches \varnothing 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch \varnothing 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 hacksaw frame, aluminium handle
- 5 blades for hacksaw
- 1 plastic oil can 200 cc
- 1 empty thermoformed tray
- 1 adjustable tap wrench M3+M12
- 1 adjustable tap wrench M5+M21
- 1 reversible ratcheting tap wrench 2,0+5,0 mm (M3+M8)
- 1 reversible ratcheting tap wrench 4,6+8,0 mm (M5+M12)
- 1 die stock 25,4 mm
- 1 die stock 38,1 mm
- 1 screw pitch gauge 0,25+6 W 62+4x1"
- 26 coarse pitch hand taps M3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 16 - 18 - 20
- 14 fine pitch hand taps M6x0,75 - M8x1 - M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5
- 7 round dies, coarse pitch M3 - 4 - 5 - 6 - 7 - 8 - 9
- 6 round dies, coarse pitch M10 - 12 - 14 - 16 - 18 - 20
- 2 round dies, fine pitch M6x0,75 - M8x0,75
- 5 round dies, fine pitch M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5

Beta N.	TR
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
42	T05
42	T06
900	T91
900ME	T91
900/20	T91
900/21	T91
900BG/30	T91
900/25	T91
900/42	T91
900/55	T91
951	T68
90	T40
90	T41
1260	T199
1262	T202
1260	T201
1260N	T201
1262	T204
1262N	T204
35	T234
1370	T234
1390	T234
1741B	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1048	T153
1052	T153
1719BMA...S5	T236
1032	T145
1034	T145
1036	T145
1038	T145
1150BM	T137
1166BM	T137
1084BM	T137
31	T31
32	T31
55	T31
96N/SC9	T31
1112	T285
1128BM	T285
1726	T285
1728BM	T285
1753	T285
VP5	VP5
435/1,5	T273
435/3	T273
436/1	T273
436/2	T273
444/1	T273
444/2	T273
1707	T273
430	T270
433	T270
440	T270
440A	T270
441	T270
441A	T270



T80 T05 T06



T91 T68 T40 T41



T199 T202 T201 T204



T234 T281 T153 T236



T145 T137 T31



T285 VP5



T273 T270

5908VI/2T

059081105

Assortment recommended in combination with RSC28 - RSC24AXL with 8 and 9 drawers - RSC24A with 8 and 9 drawers - RSC24 with 8 drawers - C37 with 8 drawers - C39 with 8 drawers



5910VI/3

assortment of 297 tools

► Industrial maintenance

Quantity/Description	Beta N.
6 Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 125 - 250 mm	35
1 cape chisel, ribbed type 200 mm	37
30 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-35-36-38-41 mm	42
14 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 - 36x41 mm	55
13 double ended offset ring wrenches 6x7+30x32 mm	90
14 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	96N
1 adjustable wrench 250 mm	111
1 heavy duty pipe wrench 300 mm	362
25 twist drills with cylindrical shanks, short series 1+13x0,5 mm	412/SP25
37 assortment of HSS taps and dies, metric thread	447/C37
1 click-type torque wrenches with reversible ratchets @ 1/2", 40+200 Nm	666N/20
1 1/2" drive swivel T-handle	920/40
4 1/2" drive, socket drivers for hexagon screws Ø 10-12-14-17 mm	920ME
25 20 sockets and 5 accessories	920A/C20X
17 assortment of 12 sockets and 5 accessories 3/4"	928A/C12
12 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 13 - 14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm	932
14 T-handle wrenches with hexagon male ends 2+14 mm	951/S14
5 T handle wrenches with swivelling hexagon male ends Ø 3 - 4 - 5 - 6 - 8 mm	953
3 circlip pliers straight, internal Ø 180 - 225 - 300 mm	1032
3 circlip pliers bent, internal Ø 170 - 210 - 290 mm	1034
3 circlip pliers straight, external ● 140x1,3 - 175 - 225 mm	1036
3 circlip pliers bent, external ● 135x1,3 - 175 - 220 mm	1038
2 Slip joint pliers boxed joints 250 - 300 mm	1048
1 self locking pliers, double adjustment	1051
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ♣ 160 mm	1084GBM
1 toggle lever assisted end cutting nippers ♣ 180 mm	1092V
1 tin snips 300 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1166GBM
1 extra-long bent needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1168GBM
9 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x150 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 - 12x250 mm	1260
2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm	1260N
5 screwdrivers for cross head Phillips® screws ⊕ PH0x100 - PH1x120 - PH2x150 - PH3x150 - PH4x200 mm	1262
2 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH1x30 - PH2x30 mm	1262N
7 drivers for Torx® head screws ⊙ T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
2 engineer's hammer 300 - 600 g	1370
2 soft face hammer Ø 35 - 60 mm	1390
5 tapered extractors M3+M18	1430/S5
1 two - leg universal puller 23+70 mm	1500N/1
1 two - leg universal puller 23+100 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scribe	1688A
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/13
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1726BM
1 riveting pliers	1741B
1 metal oil can 200 cc	1751

5910VI/3

059101044

Assortment recommended for use with item C30M

5910VI/3T

assortment of 261 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 13 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm
- 7 double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \otimes
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 9 screwdrivers for slotted head screws \bullet 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm
- 4 offset hexagon key wrenches \odot 13-14-17-19 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 hacksaw frame, aluminium handle
- (5) blades for hacksaw
- 1 plastic oil can 200 cc
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers \nless 160 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175mm
- 1 circlip pliers bent, external \bullet 175mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 second cut files 200 mm
- 4 combination wrenches 35-36-38-41 mm
- 1 double open end wrenches 36x41 mm
- 1 adjustable wrench 250 mm
- 1 heavy duty pipe wrench 300 mm
- 25 twist drills with cylindrical shanks, short series
- 37 assortment of HSS taps and dies, metric thread
- 1 click-type torque wrenches with reversible ratchets \otimes 200 Nm
- 17 assortment of 12 sockets and 5 accessories 3/4"
- 14 T-handle wrenches with hexagon male ends
- 5 T handle wrenches with swivelling hexagon male ends \odot 3-4-5-6-8 mm
- 1 circlip pliers straight, internal \odot 300 mm
- 1 circlip pliers bent, internal \odot 290 mm
- 1 circlip pliers straight, external \bullet 225 mm
- 1 circlip pliers bent, external \bullet 220 mm
- 1 Slip joint pliers boxed joints 300 mm
- 1 self locking pliers, double adjustment
- 1 toggle lever assisted end cutting nippers \nless 180 mm
- 1 engineer's hammer 600 g
- 1 soft face hammer 60 mm
- 5 tapered extractors M3-M18
- 1 two - leg universal puller
- 1 sliding gauge
- 1 semirigid stainless steel rule
- 1 engineer's scriber
- 1 measuring tape 5 m
- 1 metric feeler gauge
- 1 flexible magnetic pick-up tool

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
90	T41
90	T40
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
1260	T167
1260N	T167
1262	T168
1262N	T168
96N	T168
1112	T285
1128BM	T285
1726	T285
1728BM	T285
1753	T285
1150BM	T137
1166BM	T137
1084BM	T137
1032	T145
1034	T145
1036	T145
1038	T145
35	T234
1370	T234
1390	T234
1719BMA8/S5	T236
42	
55	
111	
362	
412/SP25	
447/C37	
666N/20	
928A/C12	
951/S14	
953	
1032	
1034	
1036	
1038	
1048	
1051	
1092V	
1370	
1390	
1430/S5	
1500/3	
1650	
1683	
1688	
1692	
1708/13	
1712E/2	



T05 T06 T31



T40 T41 T80



T167 T168 +96N



T285
T137 T145 T234 T236



5910VI/3T

059101063

Assortment recommended for use with item C30M

5935VI/2MB

assortment of 133 tools for tool chest C35, in EVA foam trays

► Industrial maintenance

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 Slip joint pliers boxed joints 250 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 150 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 adjustable wrench 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers < 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" reversible ratchet ⊕
- 1 1/4" drive swivel T-handle
- 7 screwdrivers for slotted head screws
● 2,5x50-3x75-3,5x100-4x100-5,5x125-6,5x150-8x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30-6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH0x100-PH1x80-PH1x120-PH2x100-PH2x150-PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH1x30-PH2x30 mm
- 1 mains testing screwdriver ● 4x30-6,5x30 mm
- 9 ball head offset hexagon key wrenches ○
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 5 pin punches Ø 2-3-4-5-6 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels, ribbed type 200 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 45 mm
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 hacksaw frame, aluminium handle 440 mm

Beta N.	TR
42	MB12
55	MB12
1048	MB12
920A	MB37
920AN/125	MB37
920AN/250	MB37
920/25	MB37
920/42	MB37
920/55	MB37
111	MB37
1052	MB37
1084BM	MB37
1150BM	MB37
1166BM	MB37
1032	MB37
1034	MB37
1036	MB37
1038	MB37
900	MB37
900/20	MB37
900/21	MB37
900/25	MB37
900BG/30	MB37
900/55	MB37
900/42	MB37
1260	MB44
1260N	MB44
1262	MB44
1262N	MB44
1253	MB44
96BPC/SC9	MB44
951	MB44
31	MB55
32	MB55
35	MB55
1112	MB55
1128BMX	MB55
1370	MB55
1390	MB55
1719BMA...Q	MB55
1719BMA...T	MB55
1719BMA...P	MB55
1719BMA...M	MB55
1719BMA...R	MB55
1726	MB55



MB12



MB37



MB44



MB55

5935VI/2MB

059351316

Assortment recommended in combination with C35

5957VI

Assortment of 162 tools

► Industrial maintenance



Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
18 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30-32 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96T/S8
8 offset key wrenches, for Torx® head screws Ⓢ T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/SC8
1 adjustable wrench 250 mm	111
13 1/2" square drive bi-hex sockets with rail ○ 10+22 mm	920B/SB13
8 1/2" square drive bi-hex sockets with rail ○ 23+32 mm	920B/SB8
4 1/2" socket drivers for slotted head screws ● 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws Ⓢ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet Ⓢ	920/55
1 pry bar	963
2 circlip pliers straight, internal ○ 140 - 180 mm	1032
2 circlip pliers bent, internal ○ 130 - 170 mm	1034
2 circlip pliers straight, external ● 140 - 175 mm	1036
2 circlip pliers bent, external ● 135 - 175 mm	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self locking pliers, double adjustment	1051
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 250 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers = 180 mm	1150BM
1 Extra-long needle nose pliers ● 160 mm	1166BM
1 Extra-long bent needle nose pliers ● 160 mm	1168BM
7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 4x100 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws Ⓢ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
3 engineer's hammer 300 - 600 - 1000 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 flat chisels, ribbed type 200 mm	35
1 cape chisel, ribbed type 200 mm	37
11 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 19 - 22 - 24 mm	932
1 self - locking pliers 240 mm	1052
1 self - locking pliers 280 mm	1060
1 self - locking pliers 290 mm	1062
1 dead blow hammer Ø 50 mm	1392
1 two - leg universal puller 25+130 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scribe	1688A
1 metric feeler gauge	1708/13
1 fold - away knife	1777BM
1 snap - off blade utility knife 170 mm	1771BM
1 Diagonal cutting nippers ⚡ 160 mm	1082BM

5957VI

059571005

Assortment recommended in combination with C57S A - C57S B - C57SP - C55PSP

5954VI

Assortment of 133 tools

► Industrial maintenance

Quantity/Description	Beta N.
5 pin punches Ø 2-3-4-5-6 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 200-250 mm	35
18 combination wrenches 6÷14 - 16 - 17 - 18 - 19 21 - 22 - 24 - 27 - 30 mm	42
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55
12 offset hexagon key wrenches Ø 2÷10 mm	96/SC12
1 adjustable wrench 250 mm	111
1 pipe wrench Swedish pattern 320 mm	374
20 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
6 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 - 14 mm	920ME
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive swivel T-handle	920/40
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet	920/55
6 T-handle wrenches with hexagon male ends Ø 2,5 - 3 - 4 - 5 - 6 - 8 mm	951
2 circlip pliers straight, internal Ø 140 - 180 mm	1032
1 circlip pliers bent, internal Ø 170 mm	1034
2 circlip pliers straight, external Ø 140x1,3 - 175 mm	1036
1 circlip pliers bent, external Ø 175 mm	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 Heavy-duty diagonal cutting nippers 160 mm	1084BM
1 toggle lever assisted end cutting nippers 180 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers 180 mm	1150BM
1 Extra-long needle nose pliers 160 mm	1166BM
1 mains testing screwdriver	1253
2 screwdrivers for slotted head screws 8x150 - 10x200 mm	1260
2 screwdrivers for slotted head screws, extra-short series 4x30 - 6,5x30 mm	1260N
2 screwdrivers for cross head Phillips® screws PH3x150 - PH4x200 mm	1262
2 screwdrivers for cross head Phillips® screws, extra - short series PH1x30 - PH2x30 mm	1262N
8 set of screwdrivers	1263/D8
2 engineer's hammer 300 - 500 g	1370
1 soft face hammer Ø 45 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 0,5 kg	1712E/1
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1726BM
1 plastic oil can 250 cc	1754



5954VI

059541053

Assortment recommended in combination with C54S-C55C



M05 M33 M199 M202



M50 M83



M137 M153 M234 M145

5904VU/1M

assortment of 91 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \emptyset 35 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm

Beta N.	TR
42	M05
55	M33
96/SC9	M33
1260	M199
1262	M202
96T	M50
920AN/125	M83
920AN/250	M83
920/25	M83
920/42	M83
920/55	M83
920A	M83
1084	M137
1150	M137
1166	M137
1048	M153
1052	M153
35	M234
1370	M234
1390	M234
1032	M145
1034	M145
1036	M145
1038	M145

5904VU/1M

059041201

Assortment recommended in combination with RSC24 - RSC24A - RSC24AXL - C37 - C39 with 6 - 7 - 8 drawers
RSC23T - C39T - RSC24L - RSC24L-CAB - C59 - C55 - RSC28 - C39SM - C39MD



M05 M33 M199 M202



M50 M83



M137 M153 M237 M145



M204 M289 M85 M236

5904VU/2M

assortment of 151 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 mechanic's hammers 300 g
- 1 nylon face hammers, wooden shafts \emptyset 35 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 6 drivers for Torx® head screws \odot T8-T10-T15-T20-T25-T30
- 1 measuring tape 5 m
- 1 mini hacksaw frame
- 1 plastic oil bottle 30 cc
- 1 snap - off blade utility knife
- 5 bits for slotted head screws, coloured \bullet 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
- 8 hexagon bits for power drivers, coloured \odot 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 bits for cross head Phillips® screws, coloured \oplus PH0 - PH1 - PH2 - PH3 - PH4
- 4 bits for cross head Pozidriv® - Supadriv® screws, coloured \oplus PZ1 - PZ2 - PZ3 - PZ4
- 11 bits for Torx® head screws, coloured \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 8 bits for Tamper Resistant Torx® head screws, coloured \oplus T9-T10-T15-T20-T25-T27-T30-T40
- 1 magnetic bit holder with handle 230 mm
- 1 reversible bit ratchet 100 mm
- 5 second cut files 200 mm
- 1 adaptors for drivers
- 1 magnetic bit holder extension bar

Beta N.	TR
42	M05
55	M33
96/SC9	M33
1260	M199
1262	M202
96T	M50
920AN/125	M83
920AN/250	M83
920/25	M83
920/42	M83
920/55	M83
920A	M83
1084	M137
1150	M137
1166	M137
1048	M153
1052	M153
35	M237
1370T	M237
1390N	M237
1032	M145
1034	M145
1036	M145
1038	M145
1267TX	M204
1692	M289
1725CR	M289
1755	M289
1771	M289
860LP	M85
860PE	M85
860PH	M85
860PZ	M85
860TX	M85
860RTX	M85
851SR	M85
860/55	M85
1719BMA8/S5	M236
892/0	M85
882P	M85

5904VU/2M

059041202

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39
RSC24L - RSC24L-CAB - C59 - C55 - C23 - RSC28 - C39SM - C39MD - C39T

5904VU/2T

assortment of 104 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125
5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws ● PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19
20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet Ⓞ
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers † 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches ○ 1,5÷10 mm
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17
18-19-20-21 mm
- 5 combination wrenches 22-24-27-30-32 mm
- 1 electrician's scissors, straight blades
- 1 Multiuse scissors
- 1 second-cut square files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 hacksaw frame, aluminium handle
- 1 blades for hacksaw
- 1 snap - off blade utility knife 170 mm
- 1 foldaway knife 185 mm

Beta N.	TR
1260	T199
1262	T202
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
1032	T145
1034	T145
1036	T145
1038	T145
1048	T153
1052	T153
1084	T138
1150	T138
1166	T138
35	T234
1370	T234
1390	T234
951	T68
55	T33
96/SC9	T33
42	T05
42	T06
1128BMX	T284
1130BMX	T284
1719BMA...Q	T284
1719BMA...P	T284
1719BMA...T	T284
1719BMA...M	T284
1719BMA...R	T284
1726BM	T284
1728BM	T284
1771BM	T284
1778	T284



T199 T202 T83



T145 T153 T138 T234



T68 T33 T05 T06



T284

5904VU/2T

059041070

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39
RSC24L - RSC24L-CAB - C59 - C55 - RSC23T - RSC28 - C39SM - C39MD - C39T

5904VU/3T

assortment of 146 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 offset hexagon key wrenches \odot 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 6 drivers for Torx® head screws, with handles \odot T10-T15-T20-T25-T27-T30
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \odot
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws \odot 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet \odot
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \odot 175 mm
- 1 circlip pliers bent, external \odot 175 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 4 screwdrivers for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Pozidriv®-Supadriv® screws \oplus PZ0 - PZ1 - PZ2
- 7 drivers for Torx® head screws \odot T6-T7-T8-T9-T10-T15-T20
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 5 second cut files 200 mm

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
96T	T52
97TTX	T55
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1032	T145
1034	T145
1036	T145
1038	T145
1150	T138
1166	T138
1084	T138
1048	T153
1052	T153
1260	T198
1269PZ	T198
1267TX	T205
35	T234
1370	T234
1390	T234
1719BMA8/S5	T236



T05 T06 T31



T52 T55 T80



T91 T145 T138 T153



T198 T205 T234 T236

5904VU/3T

059041203

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39
RSC24L - RSC24L-CAB - C59 - C55 - C39T - C39SM - C39MD - RSC23T - RSC28

5904VU/4T

assortment of 197 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 1 drift punches Ø 4 mm
- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 54 assortment of 52 hexagon bits, 10 mm, and 2 accessories
- 17 combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet Ⓢ
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet Ⓢ
- 1 Diagonal cutting nippers ⚡ 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Slip joint pliers boxed joints 250 mm
- 7 screwdriver for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdriver for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 7 screwdrivers for Torx® head screws, with handles ⊕ T6-T7-T8-T9-T10-T15-T20
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 7 ball head offset hexagon key wrenches burnished ○ 2,5-3-4-5-6-8-10 mm
- 1 offset hexagon key wrenches ○ 12 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 socket holder

Beta N.	TR
	30
	31
	32
867/C52	42
	T01
	90
	T40
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1082	T156
1150	T156
1048	T156
1201E	T211
1202E	T213
1207E/TX	T216
35	T234
1370	T234
1390	T234
96BP	T259
96N	T259
860MIX/A31	T259
895/1	T259



T01

T83



T91

T156

T40

T211




T213

T216

T234

T259



5904VU/4T

059241100

Assortment recommended in combination with items RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24L - RSC24L-CAB - C37 - C39 - C39T - C39SM - C39MD - RSC55 - C59

5908VU/2T

assortment of 161 tools in ABS thermoformed trays

► Universal use

Quantity/Description



T05 T06 T31



T40 T52 T55 T91



T82 T138 T153



T145 T170 T171 T172



T173 T234 T236 VP4

Quantity/Description	Beta N.	TR
16 combination wrenches 6+21 mm	42	T05
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1 centre punch Ø 4 mm	32	T31
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9 offset hexagon key wrenches ⌀ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	T40
6 offset hexagon key wrenches ⌀ 2-2,5-3-4-5-6 mm	96T	T52
6 drivers for Torx® head screws, with handles Ⓢ T10-T15-T20-T25-T27-T30	97TTX	T55
19 1/2" square drive hexagon sockets Ⓢ 10-11-12-13-14 15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm	920A	T82
5 1/2" drive, socket drivers for hexagon screws Ⓢ 5-6-8-10-12 mm	920ME	T82
1 1/2" wobble extension bar 125 mm	920AN/125	T82
1 1/2" wobble extension bar 250 mm	920AN/250	T82
1 1/2" drive universal joint	920/25	T82
1 1/2" drive sliding T-handle 305 mm	920/42	T82
1 1/2" drive reversible ratchet Ⓢ	920/55	T82
13 1/4" hexagon sockets Ⓢ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	T91
6 1/4" socket drivers for hexagon screws Ⓢ 2,5-3-4-5-6 mm	900ME	T91
1 1/4" drive extension bar 50 mm	900/20	T91
1 1/4" drive extension bar 150 mm	900/21	T91
1 1/4" drive universal joint	900/25	T91
1 1/4" drive spinner handle	900BG/30	T91
1 1/4" drive swivel T-handle 115 mm	900/42	T91
1 1/4" reversible ratchet Ⓢ	900/55	T91
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084	T138
1 half-round needle nose pliers = 180 mm	1150	T138
1 Extra-long needle nose pliers ● 160 mm	1166	T138
1 circlip pliers straight, internal Ⓢ 180 mm	1032	T145
1 circlip pliers bent, internal Ⓢ 170 mm	1034	T145
1 circlip pliers straight, external ● 175 mm	1036	T145
1 circlip pliers bent, external ● 175 mm	1038	T145
1 Slip joint pliers boxed joints 250 mm	1048	T153
1 self - locking pliers 240 mm	1052	T153
7 screwdrivers for cross head Phillips® screws ● 2,5x50-3x75-3,5x100-4x125-5,5x100-5,5x150- 6,5x150 mm	1290	T170
3 screwdrivers for cross head Phillips® screws ● 8x150-8x200-10x200 mm	1290	T171
2 screwdriver for slotted head screws, extra-short series ● 4x30-6,5x30 mm	1292	T172
6 screwdrivers for cross head Phillips® screws Ⓢ PH0x60-PH0x100-PH1x80-PH1x120- PH2x100-PH2x150 mm	1292	T173
2 screwdrivers for cross head Phillips® screws Ⓢ PH3x150-PH4x200 mm	1292N	T173
2 screwdriver for cross head Phillips® screws, extra-short series Ⓢ PH1x30-PH2x30 mm	35	T234
2 flat chisels, ribbed type 100-200 mm	1370	T234
1 engineer's hammer 300 g	1390	T234
1 soft face hammer Ø 35 mm	1719BMA...Q	T236
1 second-cut square files 200 mm	1719BMA...T	T236
1 second-cut triangular files 200 mm	1719BMA...P	T236
1 second-cut flat files 200 mm	1719BMA...M	T236
1 second-cut half-round files 200 mm	1719BMA...R	T236
1 second-cut round files 200 mm	VP4	

5908VU/2T

059081136

Assortment recommended in combination with items RSC23T - RSC24, 6-7-8 drawers - RSC24A - RSC24AXL - RSC24L - RSC24L-CAB - RSC28 C37, 6-7-8 drawers - C39, 6-7-8 drawers - C39MD - C39SM - C59 - RSC55

5914VU/M

assortment of 109 tools for trolley C14, in EVA foam trays



MC T1



MC T2



MC T3

► Universal use

Quantity/Description

- 31 bits with magnetic quick release bit holder in plastic case ① ② ③ ④ ⑤
- 1 socket holder
- 13 1/4" hexagon sockets ⑥ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⑦
- 16 1/2" square drive hexagon sockets ⑧ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⑨
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 9 offset hexagon key wrenches ⑩
- 1 adjustable wrench 250 mm
- 1 electrician's scissors, straight blades
- 1 measuring tape 5 mt
- 1 snap - off blade utility knife
- 1 Slip joint pliers boxed joints 250 mm
- 1 Diagonal cutting nippers 160 mm
- 1 half-round needle nose pliers 180 mm
- 1 Extra-long needle nose pliers 160 mm
- 3 screwdrivers for slotted head screws ⑪ 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⑫ PHx60-PH1x80-PH3x100 mm

Beta N.	TR
860MIX/A31	MCT1
895/1	MCT1
900	MCT1
900/...	MCT1
900/25	MCT1
900BG/30C	MCT1
900/42	MCT1
900/55	MCT1
920A	MCT1
920/25	MCT1
920AN/125	MCT1
920/42	MCT1
920/55	MCT1
42	MCT2
96/SC9	MCT2
111	MCT2
1128BMX	MCT2
1692/5	MCT2
1771	MCT2
1048	MCT3
1082BM	MCT3
1150BM	MCT3
1166BM	MCT3
1260	MCT3
1262	MCT3

5914VU/M

059140112

Assortment recommended in combination with C14

5988U/7M

assortment of 215 tools in EVA foam trays

► Universal use

Quantity/Description



M01



M100



M213



M33

M86

M136

M234

Quantity/Description	Beta N.	TR
22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm	42	M01
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55	M33
9 offset hexagon key wrenches \odot 1,5+10 mm	96/SC9	M33
7 hexagon bits \odot 4-5-6-7-8-10-12 mm	867PE	M86
7 hexagon bits \odot 4-5-6-7-8-10-12 mm	867PEL	M86
5 bits with XZN [®] profile \odot 5-6-8-10-12 mm	867XZN	M86
5 bits with XZN [®] profile \odot 5-6-8-10-12 mm	867XZNL	M86
7 bits for Torx [®] head screws \odot T20-T25-T30-T40-T45-T50-T55	867TX	M86
6 bits for Torx [®] head screws \odot T25-T30-T40-T45-T50-T55	867TXL	M86
7 bits for Tamper Resistant Torx [®] head screws \oplus T20-T25-T30-T40-T45-T50-T55	867RTX	M86
1 bit holder sockets for item 867	867/1	M86
1 bit holder sockets for item 867	867/2	M86
1 socket holder	895/1	M100
1 socket holder	895/3	M100
1 socket holder	895/6	M100
13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	M100
9 hexagon hand sockets, long series \odot 5-6-7-8-9-10-11-12-13 mm	900L	M100
5 1/4" socket drivers for hexagon screws \odot 3-4-5-6-7 mm	900ME	M100
4 socket drivers for slotted head screws \bullet 0,8x4-1x5,5-1,2x6,5-1,2x8 mm	900LP	M100
4 socket drivers for cross head Phillips [®] screws \oplus PH1-PH2-PH3-PH4	900PH	M100
7 socket drivers for Torx [®] head screws \odot T10-T15-T20-T25-T27-T30-T40	900TX	M100
1 1/4" drive extension bar 50 mm	900/20	M100
1 1/4" drive extension bar 100 mm	900/20L	M100
1 1/4" drive extension bar 150 mm	900/21	M100
1 1/4" drive universal joint	900/25	M100
1 1/4" drive spinner handle	900BG/30	M100
1 1/4" drive swivel T-handle	900/42	M100
1 1/4" reversible ratchet \oplus	900/55	M100
21 1/2" square drive hexagon sockets \odot 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A	M100
1 adaptor, 1/2" female and 3/8" male drives	920/15	M100
1 1/2" drive universal joint	920/25	M100
1 1/2" wobble extension bar 125 mm	920AN/125	M100
1 1/2" wobble extension bar 250 mm	920AN/250	M100
1 1/2" drive sliding T-handle	920/42	M100
1 1/2" drive reversible ratchet \oplus	920/55	M100
8 1/2" sockets for Torx [®] head screws \odot 10-12-14-16-18-20-22-24 mm	920FTX	M100
11 hexagon hand sockets \odot 10-12-13-14-15-16-17-18-19-21-22	920AL	M100
1 Heavy-duty diagonal cutting nippers ∇ 160 mm	1084BM	M136
1 half-round needle nose pliers \equiv 180 mm	1150BM	M136
1 Extra-long needle nose pliers \bullet 160 mm	1166BM	M136
6 screwdriver for slotted head screws \bullet 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	M213
1 screwdriver for slotted head screws, extra-short series \bullet 4x30 mm	1201EN	M213
4 screwdriver for cross head Phillips [®] screws \oplus PH0x60-PH1x80-PH2x100-PH3x150 mm	1202E	M213
1 screwdriver for cross head Phillips [®] screws, extra-short series \oplus PH1X30 mm	1202EN	M213
12 screwdrivers for Torx [®] head screws, with handles \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45	1207E/TX	M213
1 mains testing screwdriver \bullet	1253	M213
2 flat chisels, ribbed type 100-200 mm	35	M234
1 engineer's hammer 300 g	1370	M234
1 soft face hammer \varnothing 35 mm	1390	M234

5988U/7M

059881019

Assortment recommended in combination with items RSC23T - RSC24 - RSC24AXL - RSC24L - RSC24L-CAB - RSC28 - C37 - C39 - C39SM - C39MD - RSC55 - C59

5915VU/0

Assortment of 35 tools

► Universal use

Quantity/Description

- 1 centre punch 4 mm
- 1 flat chisels, ribbed type 125 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 7 Offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6 mm
- 1 adjustable wrench 150 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ∇ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75-4x100-5,5x100-6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 3 m
- 1 snap - off blade utility knife 18 mm
- 1 car service knife
- 1 high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens

Beta N.

- 32
- 35
- 55
- 96/BGS7
- 111
- 1048
- 1082G
- 1128BMX
- 1150G
- 1166G
- 1201E
- 1202E
- 1370
- 1692/3
- 1771
- 1778SOS
- 1833S



5915VU/0

059151021

Assortment recommended in combination with C4 - C5 - C5S - C6T

5915VU/1

Assortment of 45 tools

► Universal use

Quantity/Description

- 2 drift punches \varnothing 2-3 mm
- 1 centre punch \varnothing 4 mm
- 2 flat chisels 125-150 mm
- 1 cape chisels, standard type 150 mm
- 14 combination wrenches 6÷14 - 17 - 19 - 21 - 22 - 24 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 adjustable wrench 250 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ∇ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 5 m
- 1 snap - off blade utility knife

Beta N.

- 30
- 32
- 34
- 36
- 42
- 96/SC9
- 111
- 1048
- 1082G
- 1128BMX
- 1150G
- 1166G
- 1201E
- 1202E
- 1370
- 1692
- 1771



5915VU/1

059151024

Assortment recommended in combination with C8 - C9 - C10 - C10S - C11 - CP15 - CP15L - C16 - CP17 - CP17L - C18

5915VU/2

Assortment of 49 tools

► Universal use

Quantity/Description

- 8 6x7 - 8x9 - 10x11 - 12x13 - 14x15
16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 13 1/4" hexagon sockets \odot 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \oplus
- 1 Slip joint pliers boxed joints 250 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish \equiv 180 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 3 m
- 1 plastic oil bottle 30 cc
- 1 snap - off blade utility knife 18 mm

- | Beta N. |
|----------|
| 55/B8N |
| 96/SC9 |
| 900 |
| 900/21 |
| 900/25 |
| 900BG/30 |
| 900/42 |
| 900/55 |
| 1048 |
| 1128BMX |
| 1150G |
| 1201E |
| 1202E |
| 1370 |
| 1692 |
| 1755 |
| 1771 |

5915VU/2

059151027

Assortment recommended in combination with C7 - CP15 - C20 - C20L

5915VU/3

assortment of 74 tools

► Universal use

Quantity/Description

- 1 pin punches \varnothing 4 mm
- 1 centre punch \varnothing 4 mm
- 1 flat chisels 150 mm
- 14 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-22-24 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 3 offset hexagon key wrenches \odot 4 - 5 - 6 mm
- 1 adjustable wrench 250 mm
- 13 1/2" square drive hexagon sockets \odot 8+17 - 19 - 22 - 24 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 8 double ended hexagon tubular socket wrenches, light series
6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 2 tommy bars for tubular wrenches
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish \neq 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers,
slip-proof double layer PVC coated handles,
industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 400 g
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil bottle 150 cc
- 1 snap - off blade utility knife

- | Beta N. |
|---------|
| 31 |
| 32 |
| 34 |
| 42 |
| 96/SC9 |
| 96T |
| 111 |
| 920A |
| 920/21 |
| 920/22 |
| 920/25 |
| 920/42 |
| 920/55 |
| 935 |
| 940 |
| 1048V |
| 1052 |
| 1084G |
| 1128BMX |
| 1150G |
| 1166G |
| 1201E |
| 1202E |
| 1370 |
| 1692 |
| 1726 |
| 1755 |
| 1771 |

5915VU/3

059151028

Assortment recommended in combination with C7 - C9 - C10 - C10S - C11 - CP15L - C16 - CP17 - CP17L - C19 - C19L - C20 - C20L



5915VU/4

Assortment of 80 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 15 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-19-22-24 mm
- 9 offset hexagon key wrenches \odot 1,5÷10 mm
- 1 adjustable wrench 250 mm
- 13 1/2" square drive hexagon sockets \odot 8÷17 - 19 - 22 - 24 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 17 double ended hexagon/bi - hex offset socket wrenches 6÷22 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 riveting hammer 32 mm
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil bottle 150 cc
- 1 snap - off blade utility knife

Beta N.

- 31
- 32
- 34
- 42
- 96/SC9
- 111
- 920A
- 920/22
- 920/25
- 920/42
- 920/55
- 932/S17
- 1048
- 1052
- 1084GBM
- 1128BMX
- 1150GBM
- 1166GBM
- 1201E
- 1202E
- 1370F
- 1692
- 1726
- 1755
- 1771

5915VU/4

059151045

Assortment recommended in combination with C20 - C20L



5915VU/5

assortment of 111 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 17 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 9 ball head offset hexagon key wrenches \odot
- 1 adjustable wrench 250 mm
- 39 11 hexagon sockets, 20 bits and 8 accessories
- 13 11 sockets and 2 accessories
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ∇ 160 mm
- 1 construction worker's pincers 220 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 3 m
- 1 second cut files
- 1 hacksaw frame, aluminium handle 440 mm
- 1 snap - off blade utility knife 18 mm
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.

- 31
- 32
- 34
- 42
- 55/S8
- 96BPC/SC9
- 111
- 900/C11
- 920A/C11
- 1048
- 1052
- 1082G
- 1098
- 1128BMX
- 1150G
- 1166G
- 1201E
- 1202E
- 1370
- 1390
- 1692/3
- 1719BMA8/M
- 1726
- 1771BM
- 1833XS/2

5915VU/5

059151046

Assortment recommended in combination with C12 - C41S - C41H - C42S - C42H



5915VU/AS

assortment of 68 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 13 combination wrenches 1/4 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"
- 8 double ended offset ring wrenches 1/4"±1"
- 9 offset hexagon key wrenches, burnished ○ 3/64"±3/8"
- 1 adjustable wrench 250 mm
- 11 1/2" square drive bi - hex sockets ○ 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⚡ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⚡ PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil bottle 150 cc
- 1 snap - off blade utility knife

Beta N.
31
32
34
42AS
90AS/8
96AS/SC9
111
920AS
920/21
920/22
920/25
920/42
920/55
1048
1052
1084GBM
1128BMX
1150GBM
1166GBM
1201E
1202E
1370
1692
1726
1755
1771

5915VU/AS

059151032

Assortment recommended in combination with C10 - C20 - C20L



MC10



MC20

5927VU/M

assortment of 108 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 9 offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 3 screwdriver for slotted head screws ● 3,5x100-5,5x150-6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⚡ PH0x3x60-PH1x4,5x80-PH2x6x100 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 Slip joint pliers boxed joints 250 mm
- 1 engineer's hammer 300 mm
- 1 centre punch 4 mm
- 1 cape chisels, standard type 4 mm
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet Ⓢ
- 16 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet Ⓢ
- 1 socket holder

Beta N.	TR
42	MC10
1084BM	MC10
96/SC9	MC10
1150BM	MC10
1166BM	MC10
1201E	MC10
1202E	MC10
860MX/A31	MC20
1048	MC20
1370	MC20
32	MC20
36	MC20
900	MC20
900/21	MC20
900/25	MC20
900BG/30C	MC20
900/42	MC20
900/55	MC20
920A	MC20
920/25	MC20
920AN/125	MC20
900/42	MC20
900/55	MC20
895/1	MC20

5927VU/M

059271021

Assortment recommended in combination with RSC22 - C27S - RSC23 - RSC23C

5938U/2T


assortment of 210 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 7 screwdriver for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125
5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdriver for cross head Phillips® screws ● PH0x60-PH1x80-PH1x120-PH2x100-PH2x150-
PH3x150 mm
- 7 screwdrivers
for Torx® head screws, with handles ◉ T6-T7-T8-T9-T10-T15-T20
- 1 circlip pliers straight, internal ◉ 180 mm
- 1 circlip pliers bent, internal ◉ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 Slip joint pliers boxed joints 240 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ◄ 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 reversible ratcheting wrench for bits 1/4x5/16
- 13 1/4" hexagon sockets ◉ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" reversible ratchet Ⓢ 125 mm
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" drive spinner handle 176 mm
- 1 1/4" drive universal joint 41 mm
- 1 1/4" drive extension bar 150 mm
- 1 magnetic bit holder with handle 230 mm
- 5 bits for Spanner screws ● 4-6-8-10-12 mm
- 8 bits for Torq-Set® head screws ◉ 0-1-2-3-4-5-6-8 mm
- 6 bits for Tri-Wing® head screws ● 1-2-3-4-5-6 mm
- 8 bits for Tamper Resistant Torx® head screws ◉ T9-T10-T15-T20-T25-T27-T30-T40
- 11 bits for Torx® head screws ◉ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 3 bits for cross head Pozidriv®-Supadriv® screws ◉ PZ1 - PZ2 - PZ3
- 4 bits for cross head Phillips® screws ◉ PH0 - PH1 - PH2 - PH3
- 8 hexagon bits for power drivers ◉ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 bits for slotted head screws ● 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 mini hacksaw frame
- 1 plastic oil bottle
- 1 snap - off blade utility knife
- 19 1/2" square drive hexagon sockets ◉ 10 - 11 - 12+19 - 20 - 21
22 - 23 - 24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws ◉ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 1 centre punch Ø 4 mm
- 6 pin punches with handles 2-3-4-5-6-8 mm
- 17 combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches ◉
- 6 T-handle wrenches with hexagon male ends ◉ 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 5 second cut files 200 mm
- 11 offset hexagon key wrenches ◉ 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 - 6 mm
- 4 thermoformed trays, empty
- 4 thermoformed trays, empty
- 4 thermoformed trays, empty

Beta N.	TR
1201E	T211
1202E	T213
1207E/TX	T216
1032	T145
1034	T145
1036	T145
1038	T145
1048	T153
1052	T153
1084BM	T137
1150BM	T137
1166BM	T137
194	T85
900	T85
900/55	T85
900/42	T85
900BG/30	T85
900/25	T85
900/21	T85
851SR	T85
861SP	T85
861TQS	T85
861TRW	T85
861TRX	T85
861TX	T85
861PZ	T85
861PH	T85
861PE	T85
861LP	T85
35	T234
1370	T234
1390	T234
1692	T289
1725CR	T289
1755	T289
1771	T289
920A	T80
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
32	T239
31BM	T239
42	T01
55	T33
96/SC9	T33
951	T68
1719BMA8/S5	T236
96T	T50
VP-3SC	VP-3SC
VP-LS	VP-LS
VP-LD	VP-LD



T211 T213 T216 VP3-SC
VP-LS



T145 T153 T137 VP3-SC
VP-LD



T85



T234 T289



T80 T239 VP3-SC
VP-LS



T01 T33 VP3-SC
VP-LD



T68 T236



T50

5938U/2T

059381062

Assortment recommended in combination with C38



5957U-P

assortment of 133 tools

► Universal use

Quantity/Description	Beta N.
6 pin punches 2 ÷ 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17 combination wrenches 6÷22 - 24 - 27 - 30 - 32 mm	42/S17X
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8 offset key wrenches, for Torx® head screws ⌚ T9 ÷ T40	97TX/SC8
1 adjustable wrench 250 mm	111
13 1/2" square drive hexagon sockets with rail ⌀ 10 ÷ 22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail ⌀ 23 ÷ 32 mm	920A/SB8
7 socket drivers for cross head Phillips® screws ⌚	920LH/SB7
⌚ 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	
1 circlip pliers straight, internal ⌀ 180 mm	1032
1 circlip pliers bent, internal ⌀ 170 mm	1034
1 circlip pliers straight, external ⌀ 175 mm	1036
1 circlip pliers bent, external ⌀ 175 mm	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
8 set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - PH0 - PH1 - PH2	1263/D8
2 engineer's hammer 300 - 600 g	1370
1 soft face hammer 35	1390
1 measuring tape 5 m	1692/5
1 flexible magnetic pick-up tool	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 metal oil can 200 cc	1751
1 snap - off blade utility knife	1771BM
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 250 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet ⌚	920/55
1 pry bar	963
1 Diagonal cutting nippers ⌚ 160 mm	1082BM
1 Heavy-duty diagonal cutting nippers ⌚ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⌚ 180 mm	1092V
1 half-round needle nose pliers ⌚ 180 mm	1150BM
1 Extra-long needle nose pliers ⌚ 160 mm	1166BM
1 Extra-long bent needle nose pliers ⌚ 160 mm	1168BM
2 screwdrivers for slotted head screws ⌚ 8x200 - 10x200 mm	1260
1 screwdrivers for cross head Phillips® screws ⌚ PH3 8x150mm	1262
1 sliding gauge	1650
1 hacksaw frame, aluminium handle 420 mm	1725

5957U-P

059571004

Assortment recommended in combination with C57S A - C57S B - C57SP



5958U

Assortment of 85 tools

► Universal use

Quantity/Description	Beta N.
17 combination wrenches 6÷22 mm	42
12 offset hexagon key wrenches \odot 2÷10 mm	96N/SC12
13 1/2" square drive hexagon sockets with rail \odot 10÷22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail \odot 23÷32 mm	920A/SB8
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \oplus	920/55
1 circlip pliers straight, internal \odot 180 mm	1032
1 circlip pliers straight, external \bullet 175 mm	1036
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 Heavy-duty diagonal cutting nippers \angle 160 mm	1084BM
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
7 screwdrivers for slotted head screws \bullet 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262/S4
1 engineer's hammer 300 g	1370
1 soft face hammer \emptyset 35 mm	1390
1 measuring tape 5 m	1692
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725
1 plastic oil can 150 cc	1754
1 snap - off blade utility knife	1771

5958U

059581008

Assortment recommended in combination with C58P - C45 - C55



5990V1

assortment of 44 tools for tool case COMBO C99V1, in EVA foam tray

► Universal use

Quantity/Description

- 9 ball head offset hexagon key wrenches ○
- 1 snap - off blade utility knife 18 mm
- 1 Slip joint pliers boxed joints 250 mm
- 6 set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester
- 3 screwdrivers for slotted head screws ● 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH1x80-PH2x100 mm
- 1 electrician's scissors, straight blades
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 1 measuring tape 5 mt
- 1 engineer's hammer 300 g
- 1 diagonal cutting nippers, bi-material handles, industrial finish ≤ 160 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm

Beta N.
96BPC/SC9
1771
1048
38/B6N
1260
1262
1128BMX
42
1692/5
1370
1082GBM
1150GBM

5990V1

059900001

Assortment recommended in combination with C99V1

5990V3

assortment of 116 tools for tool case COMBO C99V3/2C, in EVA foam tray

► Car repairs

Quantity/Description


- 5 offset hexagon key wrenches
- 1 adjustable wrench 250 mm
- 1 1/4" drive spinner handle
- 1 mains testing screwdriver ●
- 1 pocket spirit level with magnetic V-shaped base
- 1 LED inspection torch, made of sturdy anodized aluminium
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 socket holder
- 12 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive swivel T-handle
- 1 1/4" drive reversible ratchet, 72 tooth mechanism ⊕
- 38 microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension
- 1 soft face hammer Ø 35 mm
- 1 1/4" drive universal joint
- 13 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕

Beta N.
96T/S5P
111
900BG/30
1253
1695XS
1833XS/2
860MIX/A31
895
900
900/20
900/20L
900/42
900/55Z
1256/C36-2
1390
900/25
920A
920/21
920/22
920/25
920/42
920/55

5990V3

059900003

Assortment recommended in combination with C99V3/2C



5980U/BIKE

assortment of 90 tools

► Bicycle repairs

Quantity/Description	Beta N.
5 combination wrenches 8-9-10-13-14 mm	42
9 ball head offset hexagon key wrenches burnished \odot 1,5-2-2,5-3-4-5-6-8-10 mm	96BP/SC9
8 offset hexagon key wrenches 2-2,5-3-4-5-6-8-10 mm	96T/S8
8 drivers for Torx® head screws, with handles \odot T8-T10-T15-T20-T25-T27-T30-T40	97TTX/S8
1 adjustable wrenches with scales chrome-plated 200 mm	111G
1 pipe cutter for copper and light alloy pipes	334
1 click-type torque wrenches with reversible ratchets 2÷10 Nm	605E
13 \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900/SB13
1 1/4" drive extension bar	900/21
1 1/4" drive universal joint	900/25
1 1/4" reversible ratchet \odot	900/55
1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish \triangleleft 160 mm	1082G
1 electrician's scissors, straight blades 145 mm	1128BM
1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm	1150G
1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 180 mm	1166G
7 3x75-4x125-5,5x150-6,5x150-PH0x60-PH1x80-PH2x100 mm	1203E/D
1 engineer's hammer 300 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 sliding gauge 150 mm	1650
1 measuring tape 3 m	1692/3
1 second-cut flat files 200 mm	1719BMA...P
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle 300 mm	1725
1 snap - off blade utility knife	1771
1 chain wear indicator 120 mm	3935
1 missing link pliers 170 mm	3937
7 set of 7 simple cone wrenches 13-14-15-16-17-18-19 mm	3952/S7
1 pedal wrench 15 mm	3953
1 spoke wrench, black, 3,2 mm \square	3961 3,2
1 spoke wrench, green, 3,3 mm \square	3961 3,3
1 spoke wrench, red, 3,5 mm \square 3	3961 3,5
1 professional spoke wrench, 3,2 - 4,0 mm \square 3,2 - 4,0 mm	3961U
1 sprocket removal wrench with chain whip 289 mm	3967
1 tyre lever 200 mm	3969
3 kit with 3 tyre levers, made of plastic 113 mm	3969K3
1 lever for pushing back disc brake pads 222 mm	3991
1 disc brake straightener 234 mm	3992



5980U/BIKE

059801040

Assortment recommended in combination with C16 - CP17 - CP17L - C20L

5988H/7M

assortment of 333 tools in EVA foam trays

► Car repairs

Quantity/Description

- 13 hexagon hand sockets ○ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 16 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 7 1/2" sockets for Torx® head screws ○ E12-E14-E16-E18-E20-E22-E24
- 10 socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm
- 13 1/2" drive, socket drivers for Torx® head screws ○ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 8 socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm
- 18 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 quick release adaptor, 1/4", for 10 mm ratcheting wrenches
- 1 quick release adaptor, 3/8", for 13 mm ratcheting wrenches
- 1 quick release adaptor, 1/2", for 19 mm ratcheting wrenches
- 12 reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder ○ 1/4-□1/4
- 1 socket holder ○ 1/4-□3/8
- 1 socket holder ○ 5/16-□1/2
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 4 socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,51,2x8 mm
- 5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 socket drivers for cross head Phillips® screws ● PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ○ T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives □1/4-■3/8
- 3 1/4" drive extension bar 50-100-150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 1 1/4" drive spinner handle
- 17 hexagon hand sockets 3/8" ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drivers □3/8-■1/4
- 1 adaptor, 1/2" female and 3/8" male drives □3/8-■1/2
- 1 extension bar - 3/8" 125 mm
- 1 extension bar - 3/8" 200 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle
- 1 3/8" drive reversible ratchet ⊕
- 21 1/2" square drive hexagon sockets ○ 8-10-11-12-13-4-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 2 1/2" wobble extension bar 125-250 mm
- 1 adaptor, 1/2" female and 3/8" male drives □1/2-■3/8
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 3 3/8" square drive spark plug sockets ○ 16-17,8-20,8 mm
- 31 bits with magnetic quick release bit holder in plastic case ○ ● ⊕ ⊕ ⊕ ⊕
- 1 Slip joint pliers boxed joints 250 mm
- 1 Diagonal cutting nippers † 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long flat knurled nose pliers ≡ 160 mm
- 5 screwdrivers for cross head Phillips® screws ● 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1 screwdriver for slotted head screws, extra-short series ● 6,5x30 mm
- 3 screwdrivers for cross head Phillips® screws ● PH1-PH2-PH3
- 1 screwdriver for cross head Phillips® screws, extra-short series ● PH2
- 4 drivers for Torx® head screws, with handles ○ T20-T25-T27-T30
- 6 pin punches 2-3-4-5-6-8 mm
- 1 centre punch 4 mm
- 3 flat chisels 125-150-75 mm
- 1 cape chisels, standard type 125 mm
- 2 engineer's hammer 500-1000 g
- 1 telescopic magnet with flexible head
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 smooth half - round long needle nose pliers ● 140 mm
- 1 diagonal cutting nippers † 125 mm
- 4 micro-screwdrivers for slotted head screws ● 2,0-2,5-3,0-3,5 mm
- 2 micro-screwdrivers for cross-head Phillips® screws ● 0-00
- 9 drivers for Torx® head screws, with handles ○ T10-T15-T20-T25-T27-T30-T40-T45-T50
- 1 self - locking pliers 240 mm
- 1 adjustable self locking pliers, long jaws 175 mm
- 1 plastic hose pliers
- 1 plastic hose pliers
- 1 sliding gauge
- 1 metric feeler gauge
- 1 packing scraper
- 7 double swivel end socket wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 1/2" drive swivel handle
- 1 pry bar with handle 450 mm
- 1 telescopic joint inspection mirror 670 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 Steel wire brush

Beta N.	TR
910AL	M125
920AL	M125
920FTX	M125
920PE	M125
920TX	M125
920XZN	M125
	42
	M25
	90
	M25
	123Q1/4
	M25
	123Q3/8
	M25
	123Q1/2
	M25
	142
96BPC/S/C9	M105
	895/1
	M105
	895/3
	M105
	895/6
	M105
	900
	M105
	900L
	M105
	900LP
	M105
	900ME
	M105
	900PH
	M105
	900TX
	M105
	900/16
	M105
	900/...
	M105
	900/25
	M105
	900/42
	M105
	900/55
	M105
900BG/30	M105
	910A
	M105
	910/15
	M105
	910/16
	M105
	910/21
	M105
	910/22
	M105
	910/25
	M105
	910/42
	M105
	910/55
	M105
	920A
	M105
	920AN
	M105
	920/15
	M105
	920/25
	M105
	920/42
	M105
	920/55
	M105
	956E
	M105
860MIX/A31	M166
	1048
	M166
	1082BM
	M166
	1150BM
	M166
	1162BM
	M166
	1290
	M166
	1290N
	M166
	1292
	M166
	1292N
	M166
	1297TX
	M166
	31
	M231
	32
	M231
	34
	M231
	36
	M231
	1370
	M231
	1712TF
	M231
	1390
	M231
	1692
	M125
	1032
	M62
	1034
	M62
	1036
	M62
	1038
	M62
	1177BM
	M62
	1188BM
	M62
	1257LP
	M62
	1257PH
	M62
	97TTX
	M62
	1052
	M78
	1058
	M78
	1481PL/A
	M78
	1481PL/B
	M78
	1481PL/C
	M78
	1650
	M78
	1708/20
	M78
	1716P
	M78
	80
	M78
	920/36A
	M78
	965
	M78
	1715
	M231
	1719BMA8/M
	M231
	1719BMA8/P
	M231
	1719BMA8/Q
	M231
	1719BMA8/R
	M231
	1719BMA8/T
	M231
	1737NX
	M231

5988H/7M

059881087

Assortment recommended in combination with RSC24/8 - RSC24A/8 - RSC24AXL - C37/8 - C39/8 - RSC28 - C59B

M78

5988L/4M

assortment of 273 tools in EVA foam trays

► Car repairs

Quantity/Description



M105



M125



M25



M166

- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,5-2x8 mm
- 4 socket drivers for cross head Phillips® screws ● PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ⊕ T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives □ 1/4 - ■ 3/8
- 3 1/4" drive extension bar 50-100-150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊗
- 17 hexagon hand sockets 3/8" ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drives □ 3/8 - ■ 1/4
- 1 adaptor, 1/2" female and 3/8" male drives □ 3/8 - ■ 1/2
- 1 extension bar - 3/8" 125 mm
- 1 extension bar - 3/8" 250 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle
- 1 3/8" drive reversible ratchet ⊗
- 17 1/2" square drive hexagon sockets ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives □ 1/2 - ■ 3/8
- 1 3/8" drive universal joint
- 2 1/2" wobble extension bar 125 - 250 mm
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊗
- 3 3/8" square drive spark plug sockets ○ 16-17-8-20,8 mm
- 13 hexagon hand sockets ○ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 10 socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm
- 7 1/2" sockets for Torx® head screws ⊕ E12-E14-E16-E18-E20-E22-E24
- 13 1/2" drive, socket drivers for Torx® head screws ⊕ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 8 socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm
- 16 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 1 measuring tape 5 m
- 18 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 quick release adaptor, 1/4", for 10 mm ratcheting wrenches
- 1 quick release adaptor, 3/8", for 13 mm ratcheting wrenches
- 1 quick release adaptor, 1/2", for 19 mm ratcheting wrenches
- 12 reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 Slip joint pliers boxed joints 250 mm
- 1 Diagonal cutting nippers ✂ 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long flat knurled nose pliers = 160 mm
- 5 screwdrivers for cross head Phillips® screws ● 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1 screwdriver for slotted head screws, extra-short series ● 6,5x30 mm
- 3 screwdrivers for cross head Phillips® screws ● 4,5x80-6x100-8x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series ● 6x30 mm
- 4 drivers for Torx® head screws, with handles ⊕ T20-T25-T27-T30

Beta N.	TR
900	M105
900L	M105
96BPC/SC9	M105
895/1	M105
895/3	M105
895/6	M105
900ME	M105
900LP	M105
900PH	M105
900TX	M105
900/16	M105
900/...	M105
900/25	M105
900BG/30	M105
900/42	M105
900/55	M105
910A	M105
910/15	M105
910/16	M105
910/21	M105
910/22	M105
910/25	M105
910/42	M105
910/55	M105
920A	M105
920/15	M105
910/25	M105
920AN	M105
920/42	M105
920/55	M105
956E	M105
910AL	M125
920PE	M125
920FTX	M125
920TX	M125
920XZN	M125
920AL	M125
1692/5	M125
42	M25
90	M25
123Q1/4	M25
123Q3/8	M25
123Q1/2	M25
142	M25
860MIX/A31	M166
1048	M166
1082BM	M166
1150BM	M166
1162BM	M166
1290	M166
1290N	M166
1292	M166
1292N	M166
1297TX	M166

5988L/4M

059881088

Assortment recommended in combination with items RSC24 - RSC24A - RSC24AXL - RSC24L - RSC24L-CAB - C37 - C39 - C39T - C39SM - C39MD - RSC55 - C59

5988U6/M

assortment of 214 tools in EVA foam trays

► Universal use

Quantity/Description

- 22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm
- 11 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17
18x19-20x22-21x23-24x27-30x32 mm
- 11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-
24x27-30x32 mm
- 9 ball head offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 6 screwdriver for slotted head screws \bullet 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1 screwdriver for slotted head screws,
extra-short series \bullet 4x30 mm
- 4 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1 screwdriver for cross head Phillips®
screws, extra-short series \oplus PH1x30 mm
- 12 screwdrivers
for Torx® head screws, with handles \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver \bullet
- 3 drift punches \emptyset 2-3-4 mm
- 6 pin punches \emptyset 2-3-4-5-6-8 mm
- 1 centre punch \emptyset 4 mm
- 1 flat chisels 150 mm
- 2 flat chisels, ribbed type 200-250 mm
- 1 cape chisels, standard type 125 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer \emptyset 35 mm
- 1 measuring tape 3 m
- 1 telescopic magnet with flexible head
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 Steel wire brush
- 1 snap - off blade utility knife 18 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 Diagonal cutting nippers \ddagger 160 mm
- 1 construction worker's pincers 220 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Extra-long bent needle nose pliers \bullet 160 mm
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series \odot 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws \odot 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws \bullet 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 4 socket drivers for cross head Phillips® screws \oplus PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws \odot T10-T15-T20-T25-T27-T30-T40
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \oplus
- 21 1/2" square drive hexagon sockets \odot 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-
27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives 125 mm
- 1 1/2" drive universal joint 250 mm
- 1 1/2" wobble extension bar
- 1 1/2" wobble extension bar
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 8 1/2" sockets for Torx® head screws \odot 10-12-14-16-18-20-22-24 mm
- 11 hexagon hand sockets \odot 10-12-13-14-15-16-17-18-19-21-22 mm

Beta N.	TR
42	M01
55	M30
90	M30
96BPC/SC9	M30
1201E	M213
1201EN	M213
1202E	M213
1202EN	M213
1207E/TX	M213
1253	M213
30	M230
31	M230
32	M230
34	M230
35	M230
36	M230
1370	M230
1390	M230
1692	M230
1712TF	M230
1719BMA...Q	M230
1719BMA...T	M230
1719BMA...P	M230
1719BMA...M	M230
1719BMA...R	M230
1737NX	M230
1771	M230
1032	M129
1034	M129
1036	M129
1038	M129
1048	M129
1052	M129
1082BM	M129
1098	M129
1112	M129
1128BM	M129
1150BM	M129
1166BM	M129
1168BM	M129
895/1	M100
895/3	M100
895/6	M100
900	M100
900L	M100
900ME	M100
900LP	M100
900PH	M100
900TX	M100
900/20	M100
900/20L	M100
900/21	M100
900/25	M100
900BG/30	M100
900/42	M100
900/55	M100
920A	M100
920/15	M100
920/25	M100
920AN/125	M100
920AN/250	M100
920/42	M100
920/55	M100
920FTX	M100
920AL	M100



M01



M30




M213



M230



M129



M100

5988U6/M

059881430

Assortment recommended in combination with RSC24 with 8 drawers - RSC24/A with 8 drawers - C37 with 8 drawers - C39 with 8 drawers RSC24AXL - RSC28 - C39SM - C39MO - C59B - C55

5935ET/1MB

assortment of 96 tools for tool chest C35, in EVA foam trays

► Electrotechnical maintenance

Quantity/Description

- 1 self - locking pliers 240 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 35 mm
- 1 second-cut square files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 flat chisels, ribbed type 200 mm
- 1 circlip pliers straight, internal ⌀ 180 mm
- 1 circlip pliers bent, internal ⌀ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 Heavy-duty diagonal cutting nippers ≤ 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 9 ball head offset hexagon key wrenches ○
- 1 screwholding screwdriver for slotted head screws ●
- 1 screwholding screwdriver for cross head Phillips® screws ⊕
- 1 mains testing screwdriver ●
- 6 hexagon nut spinners with handles ○ 5,5-6-7-8-10-13 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V
- ⊕ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 6 screwdrivers for headless slotted screws, 1000V
- 2,5x75-3x100-4x100-5,5x125-6x150-8x175 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 magnetic bit holder, insulated ⊕
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V ≤ 140 mm
- 1 electrician's scissors, straight blades, with countersink
- 1 cable cutter 230 mm
- 1 wire stripping pliers † 160 mm
- 1 combination pliers 1000V = 180 mm
- 1 extra long needle nose pliers, 1000V, ● 160 mm
- 1 extra long bent needle nose pliers ● 160 mm
- 1 adjustable wrench, 1000V 250 mm
- 1 utility knife, 1000V
- 1 bent knurled point spring tweezers, 1000V
- 1 crimping pliers for insulated terminals

Beta N.	TR
1052	MB65
1370	MB65
1390	MB65
1719BMA...Q	MB65
1719BMA...P	MB65
1719BMA...T	MB65
1719BMA...M	MB65
1719BMA...R	MB65
35	MB65
1032	MB65
1034	MB65
1036	MB65
1038	MB65
1084BM	MB65
1150BM	MB65
1166BM	MB65
96BPC/SC9	MB63
1250	MB63
1251	MB63
1253	MB63
943MQ	MB63
1272MQ	MB63
1274MQ	MB63
860MIX/A31	MB63
850MQ	MB63
55	MB64
1048MQ	MB64
1082MQ	MB64
1128BSX	MB64
1132MQ	MB64
1142MQ	MB64
1150MQ	MB64
1166MQ	MB64
1168MQ	MB64
110MQ	MB64
1777MQ	MB64
993MQ	MB64
1602	MB64



MB65



MB64



MB63

5935ET/1MB

059351332

Assortment recommended in combination with C35



5980ET/A

assortment of 70 tools

► Electrotechnical maintenance

Quantity/Description	Beta N.
1 centre punch Ø 4 mm	32
1 flat chisels, ribbed type 150 mm	35
8 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/B8N
8 offset hexagon key wrenches, long series ○ 2÷10 mm	96LC/SC8
1 adjustable wrench 200 mm	111
1 magnetic bit holder, insulated ®	850MQ
10 bits with magnetic bit holder in plastic case ⚡ ⚡ ⚡	860MIX/A10
1 slip joint pliers, boxed joint 250 mm	1048MQ
1 Diagonal cutting nippers ⚡ 160 mm	1082BM
1 electrician's scissors, straight blades, with countersink	1128BSX
1 cable cutter 170 mm	1132BM
1 half-round needle nose pliers = 180 mm	1150BM
1 Extra-long needle nose pliers ⚡ 160 mm	1166BM
1 Extra-long bent needle nose pliers ⚡ 160 mm	1168BM
1 screwholding screwdriver for slotted head screws ⚡ 4x125 mm	1250
1 screwholding screwdriver for cross head Phillips® screws ⚡ PH1x150 mm	1251
1 mains testing screwdriver ⚡	1253
5 screwdriver for slotted head screws ⚡ 2,5x75 - 3,5x100 - 5,5x125 - 6,5x150 mm	1201E
1 screwdriver for slotted head screws, extra-short series ⚡ 4x30 mm	1201EN
4 screwdriver for cross head Phillips® screws ⚡ PH0x60 - PH1x120 - PH2x150 - PH3x150 mm	1202E
1 screwdriver for cross head Phillips® screws, extra-short series ⚡ PH2x30 mm	1202EN
4 screwdrivers for cross head Phillips® screws, 1000V ⚡ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5 screwdrivers for headless slotted screws, 1000V ⚡ 5,5x125 - 3x100 - 4x100 - 6,5x150 - 8x175 mm	1274MQ
1 flat chisel with side cutter	1343
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 crimping pliers for insulated terminals	1602
1 PVC electrical tape 25 m	BMESB1928NE
1 measuring tape 5 m	1692
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle	1725
1 fold - away knife	1777BM

5980ET/B

assortment of 64 tools

► Electrotechnical maintenance

Quantity/Description

- 3 pin punches Ø 2 - 3 - 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 8 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 ball head offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 deburrer 150 mm
- 6 hexagon nut spinners with handles 1000V \odot 5,5 - 6 - 7 - 8 - 10 - 13 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nlessdot 160 mm
- 1 electrician's scissors, straight blades, with countersink
- 1 cable cutter 230 mm
- 1 wire stripping pliers \nlessdot 160 mm
- 1 combination pliers 1000V \nlessdot 180 mm
- 1 extra long needle nose pliers, 1000V, \bullet 160 mm
- 1 mains testing screwdriver \bullet
- 3 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 mm
- 4 screwdrivers for headless slotted screws, 1000V \bullet 3x100 - 4x100 - 5,5x125 - 6,5x150 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 crimping pliers for insulated terminals
- 1 flexible graduated rule 250 mm
- 1 engineer's scriber 250 mm
- 1 measuring tape 5 m
- 1 spirit level, made of aluminium 200 mm
- 1 electrician's chisel 10x200 mm
- 1 chalk line reel
- 1 square flexible inspection mirror 600 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 spring puller
- 1 hacksaw frame, aluminium handle
- 1 bristle brush
- 1 fitting tool for nylon ties
- 1 plastic oil bottle 80 cc
- 100 nylon cable ties, black UV resistant 3,6x200 mm
- 100 nylon cable ties, black UV resistant 4,8x300 mm
- 1 snap - off blade utility knife
- 1 soldering iron 30 W
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.
31
32
34
55/B8N
96BPC/SC9
345SB
943MQ/S6
1048MQ
1082MQ
1128BSX
1132MQ
1142MQ
1150MQ
1166MQ
1253
1272MQ
1274MQ
1370
1390
1602
1682
1688
1692
1696
1701NE3
1705
1715FL/A
1719BMA8/M
1719BMA8/R
1723
1726BM
1738
1743
1755
1748N
1748N
1771BM
1814M
1833XS/2

5980ET/B

059801084

Assortment recommended in combination with C12 - 2029/VV - 2033P/VV - 2036TV

5980MQ

assortment of 46 tools

► Electrotechnical maintenance

Quantity/Description

- 7 single open end wrenches, 1000V 10 - 12 - 13 - 14 - 17 - 19 - 22 mm
- 1 adjustable wrench, 1000V 250 mm
- 6 hexagon nut spinners with handles \odot 5,5 - 6 - 7 - 8 - 10 - 13 mm
- 4 T-handle wrenches with hexagon male ends \odot 4 - 5 - 6 - 8 mm
- 1 bent knurled point spring tweezers, 1000V
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nlessdot 160 mm
- 1 electrician's scissors
- 1 wire stripping pliers \nlessdot 160 mm
- 1 combination pliers 1000V \nlessdot 180 mm
- 1 extra-long bent flat nose pliers \nlessdot 160 mm
- 1 extra long needle nose pliers, 1000V, \bullet 160 mm
- 1 mains testing screwdriver \bullet
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 5 screwdrivers for headless slotted screws, 1000V \bullet 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 200 mm
- 1 mini - hacksaw frame, 1000V
- 2 utility knife, 1000V
- 1 soldering iron 30 W
- 1 high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens
- 1 combination voltage and continuity tester

Beta N.
52MQ
110MQ
943MQ
951MQ
993MQ
1048MQ
1082MQ
1128MQ
1142MQ
1150MQ
1164MQ
1166MQ
1253
1272MQ
1274MQ
1370
1390
1692
1701NE/3
1725MQ
1777MQ
1814M
1833S
1847P

5980MQ

059801257

Assortment recommended in combination with 2029/VV



M49



M108



M161

5988 VHB-MQ

assortment of 66 tools in EVA foam trays

► Electrotechnical maintenance

Quantity/Description

- 12 single open end wrenches, 1000V 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 12 single ring wrenches 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 4 socket drivers for hexagon screws \odot 4-5-6-8 mm
- 11 bi-hex sockets \odot 7-8-10-11-12-13-14-15-16-17-19 mm
- 6 socket drivers for Torx® head screws \odot T15-T20-T25-T27-T30-T40
- 2 socket drivers with XZN® profile \odot 8-10 mm
- 1 3/8" drive extension 125 mm
- 1 3/8" drive extension 250 mm
- 1 3/8" drive, T-handle
- 1 3/8" drive reversible ratchet
- 1 electrician's scissors
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nless 160 mm
- 1 combination pliers 1000V \equiv 180 mm
- 1 extra long flat nose pliers \equiv 160 mm
- 1 extra-long bent flat nose pliers \equiv 160 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 4 screwdrivers for headless slotted screws, 1000V \bullet 2,5x75 - 3x100 - 4x100 - 5,5x125 mm
- 1 cable stripping knife, insulated

Beta N.	TR
52MQ	M49
89MQ	M49
910MQ/PE	M108
910MQ/B	M108
910MQ/TX	M108
910MQ/XZN	M108
910MQ/21	M108
910MQ/22	M108
910MQ/T	M108
910MQ/55	M108
1128MQ	M161
1048MQ	M161
1082MQ	M161
1150MQ	M161
1162MQ	M161
1164MQ	M161
1272MQ	M161
1274MQ	M161
1777MQ/U	M161

5988 VHB-MQ

059880300

Assortment recommended in combination with items RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24L - RSC24L-CAB RSC28 - C37 - C39 - C39SM - C39MD - C39T - RSC55 - C59

5980EL/A

assortment of 57 tools

► Electronics

Quantity/Description

- 13 4÷14 mm
- 9 offset hexagon key wrenches \odot 1,5÷10 mm
- 1 bent point tweezers 130 mm
- 1 straight thin knurled point pin spring tweezers 150 mm
- 1 cross tweezers 155 mm
- 1 electrician's scissors, straight blades
- 1 wire stripping pliers \nless 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 flat nose pliers \equiv
- 1 smooth half - round long bent needle nose pliers \bullet
- 1 combination pliers \bullet
- 1 diagonal flush cutting nippers \nless
- 1 diagonal cutting nippers \nless
- 1 screwholding screwdriver for slotted head screws \bullet 4x125 mm
- 1 screwholding screwdriver for cross head Phillips® screws \oplus PH0x125 mm
- 8 micro-screwdrivers
- 1 engineer's hammer 200 g
- 1 measuring tape 5 m
- 1 telescopic joint inspection mirror
- 3 needle files
- 1 spring puller
- 1 bristle brush
- 1 pen oiler
- 1 snap - off blade utility knife
- 1 self-locking round end knurled tool made of stainless steel
- 1 soldering iron 25 W
- 1 de - soldering pump
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.
73/B13N
96N/SC9
991
992
998
1128BMX
1142BM
1166BM
1172BM
1178BM/P
1178BM
1185BM
1188BM
1250
1251
1257LPH/S8
1370
1692
1715
1720/S3
1723
1738
1756
1771
1002
1814M
1830T
1833XS/2

5980EL/A

059801081


Assortment recommended in combination with 2032TV - 2028/VV - 2033P/VV

5980EL/B

assortment of 98 tools

► Electronics

Quantity/Description	Beta N.
13 4+14 mm	73/B13N
9 offset hexagon key wrenches \odot 1,5+10 mm	96/SC9
8 offset key wrenches for Torx® head screws \odot T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/BG8
1 adjustable wrench 150 mm	111
18 set of 13 hexagon sockets and 5 accessories, 1/4" square drive	900/C13-5
1 straight thin knurled point spring tweezers 130 mm	990
1 bent point tweezers 130 mm	991
1 extra slim short end spring tweezers 120 mm	999A
1 electrician's scissors, straight blades	1128BMX
1 front wire stripping pliers, self - adjusting 170 mm	1149F
1 half-round needle nose pliers \equiv 180 mm	1150BM
1 flat nose pliers \equiv 140 mm	1172BM
1 smooth half - round long needle nose pliers \bullet 140 mm	1177BM
1 smooth half - round long bent needle nose pliers \bullet 140 mm	1178BM/P
1 diagonal flush cutting nippers, rounded tips ζ 120 mm	1184BM
1 diagonal flush cutting nippers, slim tips ζ 120 mm	1186BM
1 end flush oblique cutting nippers ζ	1191BM
8 micro-screwdrivers	1257LPH/S8
1 mains testing screwdriver \bullet	1253
1 screwdriver for slotted head screws, extra-short series \bullet 6,5x30 mm	1290N
3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm	1292
2 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1x30 - PH2x30 mm	1292N
5 screwdrivers for headless slotted screws \bullet 2,5x60 - 3x75 - 4x100 - 5x125 - 6,5x150 mm	1294
1 engineer's hammer 200 g	1370
1 flexible graduated rule 150 mm	1682
1 engineer's scribe 220 mm	1688
1 measuring tape 5 m	1692
1 telescopic joint inspection mirror 670 mm	1715
1 Needle files \bullet	1720R
1 Needle files \blacktriangle	1720T
1 Needle files \blacksquare	1720P
1 spring puller	1723
1 bristle brush	1738
1 pen oiler	1756
1 snap - off blade utility knife	1771BM
1 fold - away knife	1777BM
1 self-locking round end knurled tool made of stainless steel	1002
1 soldering iron 25W	1814M
1 de - soldering pump	1830T
1 LED inspection torch, made of sturdy anodized aluminium	1833XS/2



5980EL/B

059801082

Assortment recommended in combination with 2029/VV - 2033P/VV - 2036TV

5980ID

assortment of 35 tools

► Plumbing maintenance

Quantity/Description

- 1 flat chisels 150 mm
- 1 flat chisels, ribbed type 200 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm
- 1 adjustable wrench 250 mm
- 1 pipe cutter for copper and light alloy pipes Ø 3+30 mm
- 1 pipe wrench Swedish pattern 320 mm
- 1 self - locking pliers 240 mm
- 1 tin snips 300 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 8x150 mm
- 2 screwdriver for cross head Phillips® screws ⊕ PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape, made of fibre 2 m
- 1 measuring tape 5 m
- 1 spirit level, made of aluminium 200 mm
- 1 second-cut half-round files 200 mm
- 1 hacksaw frame, aluminium handle
- 1 Steel wire brush
- 1 Slip joint pliers boxed joints 250 mm

Beta N.
34
35
55/S12X
111
334
374
1052
1112
1128BMX
1150GBM
1201E
1202E
1370
1690F
1692
1696
1719BMA...M
1725
1737NX
1048



5980ID

059801085

Assortment recommended in combination with 2009N/VV

5902MT

assortment of 106 tools for agricultural, building and earth-moving machinery

► Car repairs

Quantity/Description

- 2 drift punches Ø 3 - 4 mm
- 2 pin punches Ø 6 - 8 mm
- 1 centre punch Ø 4 mm
- 2 flat chisels, ribbed type 150 - 200 mm
- 18 combination wrenches 6+14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 - 36 - 41 mm
- 10 double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 mm
- 10 offset hexagon key wrenches ○ 1,5+12 mm
- 17 1/2" square drive hexagon sockets ○ 10+22 - 24 - 27 - 30 - 32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive push-through square ratchet ⊗
- 11 3/4" square drive hexagon socket ○ 22 - 24 - 27 - 30 - 32 - 36 - 41 - 46 - 50 - 55 - 60 mm
- 1 3/4" drive extension bar 200 mm
- 1 3/4" drive swivel handle
- 1 3/4" drive sliding T - handle
- 1 3/4" drive reversible ratchet ⊗
- 1 pry bar
- 1 Slip joint pliers boxed joints 250 mm
- 1 adjustable self locking pliers, curved jaws
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ≡ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm
- 4 screwdrivers for slotted head screws with hexagon bolsters ● 6,5x150 - 8x175 - 10x200 - 12x250 mm
- 3 screwdrivers for cross head Phillips® screws with hexagon bolsters ⊕ PH2x150 - PH3x175 - PH4x200 mm
- 1 ball pein hammer 900 g
- 1 soft face hammer Ø 35 mm
- 1 metric feeler gauge
- 1 three - cutting edges scraper 200 mm
- 5 Set of 5 second-cut files, with handles 200 mm
- 1 hacksaw frame, aluminium handle

Beta N.
30
31
32
35
42
90
96N/B10
920A
920/21
920/22
920/25
920/42
920/50
928A
928/21
928/36A
928/42
928/55
964
1048
1055
1084GBM
1128BMX
1150GBM
1166GBM
1260E
1262E
1377
1390
1708/20
1717B
1719BMA...S5
1725



5902MT

059021053

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5902MT/AS

assortment of 99 tools for earth-moving machinery (CATERPILLAR)



► Car repairs

Quantity/Description	Beta N.
2 drift punches Ø 3 - 4 mm	30
2 pin punches Ø 6 - 8 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 150 - 200 mm	35
20 combination wrenches 1/4+1.1/2"	42AS
6 double ended offset ring wrenches 1/4x5/16 - 3/8x7/16 - 1/2x9/16	90AS
5/8x3/4 - 11/16x13/16 - 7/8x15/16"	
11 offset hexagon key wrenches ○ 3/64+3/8"	96AS/B11
10 1/2" square drive bi - hex sockets ○ 7/16 - 1/2 - 9/16	920AS
5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"	
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet ☉	920/50
12 hexagon hand sockets 1/4" ○ □ 3/4", 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4 - 1.5/16 1.1/2 - 1.5/8 - 1.11/16 - 1.7/8 - 2"	928AS
1 3/4" drive extension bar 200 mm	928/21
1 3/4" drive swivel handle	928/36A
1 3/4" drive sliding T - handle	928/42
1 3/4" drive reversible ratchet ☉	928/55
1 pry bar	964
1 Slip joint pliers boxed joints 250 mm	1048
1 adjustable self locking pliers, curved jaws	1055
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ♣ 160 mm	1084GBM
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1166GBM
4 screwdrivers for slotted head screws with hexagon bolsters ●	1260E
6,5x150 - 8x175 - 10x200 - 12x250 mm	
3 screwdrivers for cross head Phillips® screws with hexagon bolsters ☉	1262E
PH2x150 - PH3x175 - PH4x200 mm	
1 ball peen hammer 900 g	1377
1 soft face hammer Ø 35 mm	1390
1 metric feeler gauge 150 - 200 mm	1708/20
1 three - cutting edges scraper 200 mm	1717B
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725

5902MT/AS

059021054

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5904VG/2M

assortment of 170 tools in EVA foam trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 5 drivers for Torx® head screws, with handles \odot T10-T15-T20-T25-T30
- 7 hexagon bits \odot 4-5-6-7-8-10-12 mm
- 7 hexagon bits \odot 4-5-6-7-8-10-12 mm
- 5 bits with XZN® profile \odot 5-6-8-10-12 mm
- 5 bits with XZN® profile \odot 5-6-8-10-12 mm
- 7 bits for Torx® head screws \odot T20-T25-T30-T40-T45-T50-T55
- 6 bits for Torx® head screws \odot T25-T30-T40-T45-T50-T55
- 7 bits for Tamper Resistant Torx® head screws \odot T20-T25-T30-T40-T45-T50-T55
- 1 bit holder sockets for item 867
- 1 bit holder sockets for item 867
- 5 screwdrivers for slotted head screws \bullet 3x75 - 3,5x100 - 4x125 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 screwdrivers for slotted head screws, extra-short series \bullet 4x30 mm
- 1 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 mm
- 5 bits for slotted head screws, coloured \bullet 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
- 8 hexagon bits for power drivers, coloured \odot 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 bits for cross head Phillips® screws, coloured \oplus PH0 - PH1 - PH2 - PH3 - PH4
- 4 bits for cross head Pozidriv® - Supadriv® screws, coloured \oplus PZ1 - PZ2 - PZ3 - PZ4
- 11 bits for Torx® head screws, coloured \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 8 bits for Tamper Resistant Torx® head screws, coloured \odot T9-T10-T15-T20-T25-T27-T30-T40
- 1 magnetic bit holder with handle 230 mm
- 1 reversible bit ratchet 100 mm
- 1 magnetic bit holder extension bar 80 mm
- 1 adaptors for drivers \blacksquare 1/4 - \square 1/4
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers \blacktriangleleft 160 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm

Beta N.	TR
	42
	42
	96T
	97TTX
	867PE
	867PEL
	867XZN
	867XZNL
	867TX
	867TXL
	867TXL
	867TX
	8671
	8672
	1260
	1262
	1260N
	1262N
	860LP
	860PE
	860PH
	860PZ
	860TX
	860RTX
	851SR
	860/55
	882P
	8920
	35
	1370
	1390
	920AN/125
	920AN/250
	920/25
	920/42
	920/55
	920A
	1150BM
	1166BM
	1084BM
	1032
	1034
	1036
	1038



M05 M06 VP/M3



M50 M55 M86



M208 M85 M234



M83 M136 M145

5904VG/2M

059041198

Assortment recommended in combination with RSC24 - RSC24A - RSC24AXL - C37 - C39
RSC24L - RSC24L-CAB - C59 - C55 - C39T - C39SM - C39MD - RSC23T - RSC28

5904VG/2T

assortment of 99 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 19 1/2" square drive hexagon sockets ⌀ 10÷24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws ⌀ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 circlip pliers straight, internal Ⓞ 180 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, internal Ⓞ 170 mm
- 1 circlip pliers bent, external ● 175 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 4 screwdrivers for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ● PH0x60 - PH1x80 - PH2x100 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches Ⓞ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 offset hexagon key wrenches Ⓞ 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 6 drivers for Torx® head screws, with handles Ⓞ T10 - T15 - T20 - T25 - T27 - T30

Beta N.	TR
	42
	42
	920A
	920ME
	920/21
	920/22
	920/25
	920/42
	920/55
	1048
	1052
	1084
	1084
	1166
	1150
	1032
	1036
	1034
	1038
	35
	1370
	1390
	1260
	1262
	55
	96/SC9
	96T
	97TTX



T05 T06 T80



T153 T138 T145 T234



T208 T33 T52 T55

5904VG/2T

059041191

Assortment recommended in combination with RSC24 - RSC24A - RSC24AXL - C37 - C39
RSC23T - C39T - RSC24L - RSC24L-CAB - C59 - C55 - RSC28 - C39SM - C39MD



5904VG/3

assortment of 132 tools

► Car repairs

Quantity/Description	Beta N.
6 Ø 2-8 mm	31/B6N
1 centre punch Ø 5 mm	32
1 flat chisels, ribbed type 200 mm	35
17 combination wrenches 6÷22 mm	42
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
11 offset hexagon key wrenches ○ 2÷10 mm	96T/SP11
13 offset key wrenches for Torx® head screws ○ T6÷T50	97TX/B13
1 adjustable wrench 300 mm	111
13 1/2" square drive hexagon sockets with rail ○ 10÷22 mm	920A/SB13
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet Ⓢ	920/50
6 T - handle wrenches with swivelling socket ○ 8 - 10 - 12 - 13 - 17 - 19 mm	952
1 pry bar with handle 450 mm	965
2 circlip pliers straight, internal ○ 180 - 225 mm	1032
2 circlip pliers bent, internal ○ 170 - 210 mm	1034
2 circlip pliers straight, external ● 175 - 225 mm	1036
2 circlip pliers bent, external ● 175 - 220 mm	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1057A
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish † 200 mm	1084GBM
1 toggle lever assisted end cutting nippers † 200 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm	1150GBM
4 screwdrivers for slotted head screws ● 3x75 - 4x100 - 5,5x125 - 6,5x150 mm	1260
1 screwdrivers for slotted head screws, extra-short series ● 6,5x30 mm	1260N
2 screwdrivers for slotted head screws with hexagon bolsters ● 8x175 - 10x200 mm	1260E
3 screwdrivers for cross head Phillips® screws Ⓢ PH0x100 - PH1x120 - PH2x100 mm	1262
1 screwdrivers for cross head Phillips® screws, extra - short series Ⓢ PH2x30 mm	1262N
1 screwdrivers for cross head Phillips® screws with hexagon bolsters Ⓢ PH3x175mm	1262E
1 screwdriver for cross head Phillips® screws, long series Ⓢ PH2x400 mm	1262L
1 screwdriver for headless slotted screws, long series ● 6,5x400 mm	1264L
1 engineer's hammer 500 g	1370
1 soft face hammer Ø 45 mm	1390
1 adjustable oil filter wrench	1491
1 metric feeler gauge	1708/20
5 Set of 5 second-cut files, with handles 200 mm	1719BMA..S5
1 hacksaw frame, aluminium handle	1726BM
1 metal oil can 200 cc	1751

5904VG/3

059041062

Assortment recommended in combination with RSC24 - RSC24A - RSC24AXL - C37 - C39 with 7 - 8 drawers
RSC24L - RSC24L-CAB - C59 - C55

5904VG/3T

assortment of 102 tools in ABS thermoformed trays

► Car repairs



T199 T202 T83



T145 T153 T137 T234



T52 T33 T05 T06



T63 VP5

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17
18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches \odot 1,5-10 mm
- 6 offset hexagon key wrenches \odot 2-2,5-3-4-5-6 mm
- 8 T - handle wrenches with swivelling socket \odot 7-8-10-12-13-14-17-19 mm
- 19 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19
20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet \oplus
- 1 Heavy-duty diagonal cutting nippers \llcorner 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 self - locking pliers 240 mm
- 1 Slip joint pliers boxed joints 250 mm
- 7 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 -
6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80
PH1x120 - PH2x100 - PH2x150 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 empty thermoformed tray

Beta N.	TR
42	T05-T06
55	T33
96/SC9	T33
96T	T52
952	T63
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
1084BM	T137
1150BM	T137
1166BM	T137
1032	T145
1034	T145
1036	T145
1038	T145
1052	T153
1048	T153
1260	T199
1262	T202
35	T234
1370	T234
1390	T234
VP5	

5904VG/3T

059041510

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39
RSC24L - RSC24L-CAB - C59 - C55 - RSC23T - C39T - RSC28 - C39SM - C39MD

5904VG/5T

assortment of 153 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm
- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- empty thermoformed tray
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 7 screwdrivers for cross head Phillips® screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 5 drivers for Torx® head screws, with handles ○ T25 - T27 - T30 - T40 - T45
- 6 offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 3 screwdrivers for cross head Phillips® screws ● 8x150 - 8x200 - 10x200 mm
- 2 screwdriver for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws Ⓢ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 2 screwdrivers for cross head Phillips® screws Ⓢ PH3x150 - PH4x200 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series Ⓢ PH1x30 - PH2x30 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers † 160 mm
- 6 bits for Torx® head screws ○ T6÷T15
- 8 bits for Torx® head screws ○ T20÷T55
- 1 socket holder
- 1 socket holder
- 6 1/4" sockets for Torx® head screws ○ E4÷E10
- 7 1/2" sockets for Torx® head screws ○ E12÷E24
- 3 1/2" drive, socket drivers for Torx® head screws ○ T55L - T60 - T70L
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 empty thermoformed tray

Beta N.	TR
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
42	T05
42	T06
952	T63
VP6	VP6
1032	T145
1034	T145
1036	T145
1038	T145
1290	T170
1297TX	T176
96T	T52
55	T33
96N/SC9	T33
1290	T171
1290N	T171
1292	T172
1292	T173
1292N	T173
35	T234
1370	T234
1390	T234
1150BM	T137
1166BM	T137
1084BM	T137
861TX	T112
866TX	T112
895/1	T112
895/6	T112
900FTX	T112
920FTX	T112
920TX	T112
1048	T153
1052	T153
VP6	



T80 T05 T06



T63 VP6



T145 T170 T176 T52



T33 T171 T172 T173



T234 T137 T112 T153

5904VG/5T

059041196

Assortment recommended in combination with RSC24 with 7 - 8 drawers - RSC24A with 7 - 8 drawers - RSC24AXL - C37 with 7 - 8 drawers - C39 with 7 - 8 drawers RSC24L - RSC24L-CAB - C59 - C55 - RSC23T - RSC28 - C39MD - C39SM



5905VG/1

assortment of 94 tools for car body repair shops

► Car repairs

Quantity/Description	Beta N.
1 drift punches Ø 4 mm	30
6 Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/BN
1 centre punch Ø 4 mm	32
1 flat chisels 150 mm	34
1 cape chisels, standard type 150 mm	36
17 combination wrenches 6÷22 mm	42
10 offset hexagon key wrenches \odot 1,5÷12 mm	96/B10
1 adjustable wrench 300 mm	111N
12 hi-torque hexagon nut spinners, long series \odot 4÷14 mm	943BX
1 pry bar with handle 450 mm	965
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 adjustable self locking pliers, aluminium jaws 280 mm	1060AL
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish \sphericalangle 160 mm	1084GBM
1 construction worker's pincers 250 mm	1098PL
1 compound leverage shears, straight blades	1122
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm	1150GBM
1 screwdriver for Dzus® head screws \bullet	1201E/DZ
4 screwdrivers for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260
1 screwdrivers for slotted head screws, extra-short series \bullet 4x30 mm	1260N
2 screwdrivers for slotted head screws with hexagon bolsters \bullet 10x175 - 12x200 mm	1262
3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm	1262N
1 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 mm	1262E
1 screwdrivers for cross head Phillips® screws with hexagon bolsters \oplus PH3x175 mm	1267TX
7 drivers for Torx® head screws \odot T6 - T8 - T10 - T15 - T20 - T25 - T30	1303
1 curved dolly 1350 g	1305
1 toe dolly	1306
1 heel dolly	1310
1 general purpose dolly	1313
1 buffer dolly	1326
1 curved angle spoon	1327
1 heavy duty spoon	1330
1 long double-ended spoon	1338A
1 body blade holder, with blade 9"	1342PM
1 extra flat chisel with hand guard	1345
1 body hammer	1357Z/32
1 Ø 32 mm	1370
1 engineer's hammer 300 g	1390
1 soft face hammer Ø 35 mm	1692
1 measuring tape 5 m	

5905VG/1

059051058

Assortment recommended in combination with C25



5905VG/2 assortment of 118 tools

► Car repairs

Quantity/Description	Beta N.
6 set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester	38/B6N
13 combination wrenches 6-14 - 17 - 19 - 22 - 24 mm	42
13 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 mm	55
3 half - moon ring wrenches 11x13 - 14x17 - 19x22 mm	83
10 offset hexagon key wrenches \odot 1,5+12 mm	96N/B10
6 drivers for Torx® head screws, with handles \odot T10 - T15 - T20 - T25 - T30 - T40	97TTX
2 1/2" drive impact sockets \odot 17 - 19 mm	720
20 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 28 - 30 - 32 mm	920A
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \odot	920/55
8 T - handle wrenches with swivelling socket \odot 7 - 8 - 10 - 11 - 13 - 14 - 17 - 19 mm	952
1 T - handle swivel spark plug wrenches	959
1 wheel nut wrench \odot 17x19x22x \blacksquare 1/2"	979
1 circlip pliers straight, internal \odot 180 mm	1032
1 circlip pliers bent, internal \odot 170 mm	1034
1 circlip pliers straight, external \bullet 175 mm	1036
1 circlip pliers bent, external \bullet 175 mm	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish \ddagger 160 mm	1084GBM
1 compound leverage shears, straight blades 250 mm	1122
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \blacksquare 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm	1166GBM
8 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
2 screwdrivers for slotted head screws with hexagon bolsters \bullet 10x200 - 12x250 mm	1260E
1 screwdrivers for slotted head screws, extra-short series \bullet 6,5x30 mm	1260N
4 screwdrivers for cross head Phillips® screws \bullet PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
1 engineer's hammer 400 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 adjustable oil filter wrench	1491
1 circuit tester 3+48 V	1498

5905VG/2

059051044

Assortment recommended in combination with C25

5908VG/2T

assortment of 212 tools in ABS thermoformed trays

► Car repairs

Quantity/Description



T05 T06 T31



T80 T145 T146



T167 T168
+96N +1771



T63 T209



T55 T110 T113 T236



T264 T234 T153 T138



T105 T106 VP6



Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	T05
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1 centre punch Ø 4 mm	32	T31
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1 1/2" drive extension bar 125 mm	920/21	T80
1 1/2" drive extension bar 255 mm	920/22	T80
1 1/2" drive universal joint	920/25	T80
1 1/2" drive sliding T-handle	920/42	T80
1 1/2" drive reversible ratchet Ⓢ	920/55	T80
19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
1 circlip pliers straight, internal ○ 180 mm	1032	T145
1 circlip pliers bent, internal ○ 170 mm	1034	T145
1 circlip pliers straight, external ● 175 mm	1036	T145
1 circlip pliers bent, external ● 175 mm	1038	T145
1 circlip pliers straight, internal ○ 140 mm	1032	T146
1 circlip pliers straight, internal ○ 225 mm	1032	T146
1 circlip pliers straight, external ● 140 mm	1036	T146
1 circlip pliers straight, external ● 225 mm	1036	T146
9 screwdrivers for slotted head screws ● 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	T167
2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm	1260N	T167
7 screwdrivers for cross head Phillips® screws ● PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm	1262	T168
2 screwdrivers for cross head Phillips® screws, extra - short series ● PH1x30 - PH2x30 mm	1262N	T168
8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	952	T63
2 screwdriver for cross head Phillips® screws, long series ● PH1x400 - PH2x400 mm	1262L	T209
3 screwdriver for headless slotted screws, long series ● 3x300 - 4x400 - 5x400 mm	1264L	T209
6 drivers for Torx® head screws, with handles ○ T10-T15-T20-T25-T27-T30	97TTX	T55
13 1/2" drive impact sockets ○ 10-11-12-13-14-16-17-18-19-21-22-23-24 mm	720	T110
1 1/2" drive impact extension bar 125 mm	720/21	T110
5 socket drivers for hexagon screws ○ 5L - 6L - 7L - 8L - 10L	920PE	T113
4 1/2" drive, socket drivers for Torx® head screws ○ T40L - T45L - T55L - T70L	920TX	T113
3 socket drivers with XZN® profile ○ M6L - M8L - M12L	920XZN	T113
5 second cut files 200 mm	1719BMA8/S5	T236
1 adjustable oil filter wrench 110 mm	1491	T264
1 square oil drain plug socket ■ 10 mm	1494	T264
7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm	1494E	T264
4 male square oil drain plug sockets ○ 8-9,5-12-13 mm	1494Q	T264
1 male triangular oil drain plug socket Δ	1494T	T264
1 male oil drain plug socket with XZN® profile ○	1494XZN	T264
1 oil plug wrenches	1496C	T264
2 flat chisels, ribbed type 100 - 200 mm	35	T234
1 engineer's hammer 300 g	1370	T234
1 soft face hammer Ø 35 mm	1390	T234
1 Slip joint pliers boxed joints 250 mm	1048	T153
1 self - locking pliers 240 mm	1052	T153
1 half-round needle nose pliers = 180 mm	1150	T138
1 Extra-long needle nose pliers ● 160 mm	1166	T138
1 Heavy-duty diagonal cutting nippers † 160 mm	1084	T138
11 3/4" square drive hexagon socket ○ 22-24-27-30-32-34-36-38-41-46-50 mm	928A	T105
1 3/4" drive extension bar 200 mm	928/21	T106
1 3/4" drive extension bar 380 mm	928/22	T106
1 3/4" drive sliding T - handle 450 mm	928/42	T106
1 3/4" drive reversible ratchet Ⓢ	928/55	T106
1 empty thermoformed tray	VP6	VP6
4 offset hexagon key wrenches ○ 13-14-17-19 mm	96N	
1 adjustable wrench 300 mm	111	
1 pry bar with handle	965	
1 tin snips 250 mm	1112	
1 electrician's scissors, straight blades	1128BMX	
1 engineer's hammer 1000 g	1370	
1 metric feeler gauge	1708/20	
1 telescopic magnet with flexible head	1712	
1 telescopic joint inspection mirror	1715	
1 three - cutting edges scraper 200 mm	1717B	
1 hacksaw frame, aluminium handle 440 mm	1726	
1 Steel wire brush	1737NX	
1 metal oil can 200 cl	1751	
1 snap - off blade utility knife	1771	

5908VG/2T

059081017

Assortment recommended in combination with RSC28

5910VG/3T

assortment of 202 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 6 double swivel end socket wrenches 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm
- 1 adjustable oil filter wrench 110 mm
- 1 square oil drain plug socket ■ 10 mm
- 7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm
- 4 male square oil drain plug sockets ○ 8-9-5-12-13 mm
- 1 male triangular oil drain plug socket Δ
- 1 male oil drain plug socket with XZN® profile ○
- 1 oil plug wrenches
- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 circlip pliers straight, internal ○ 140 mm
- 1 circlip pliers bent, internal ○ 225 mm
- 1 circlip pliers straight, external ● 140 mm
- 1 circlip pliers bent, external ● 225 mm
- 6 drivers for Torx® head screws, with handles Ⓢ T10-T15-T20-T25-T27-T30
- 12 swivel end ratcheting combination wrenches
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers † 160 mm
- 1 slip joint pliers, push button alignment 240 mm
- 1 self - locking pliers 240 mm
- 8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 9 screwdrivers for slotted head screws ● 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 6 pin punches
- 7 screwdrivers for cross head Phillips® screws Ⓢ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series Ⓢ PH1x30 - PH2x30 mm
- 1 adjustable wrench 250 mm
- 1 1/2" drive swivel T-handle
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 4 T handle wrenches with swivelling hexagon male ends ○ 4-5-6-8 mm
- 2 engineer's hammer 300-500 g
- 2 screwdriver for cross head Phillips® screws, long series Ⓢ PH1x400 - PH2x400 mm
- 3 screwdriver for headless slotted screws, long series ● 3x300 - 4x400 - 5x400 mm
- 9 ball head offset hexagon key wrenches ○
- 1 click-type torque wrenches with reversible ratchets Ⓢ 8 ÷ 60 Nm
- 1 click-type torque wrenches with reversible ratchets Ⓢ 60 ÷ 330 Nm
- 12 impact sockets
- 1 adaptor, 1/2" female and 3/8" male drives
- 1 assortment of 12 sockets and 5 accessories 3/4"
- 3 lever with articulated, flat, curved head
- 1 dead blow hammer Ø 50 mm
- 1 Reversible impact wrench, made from composite material Ⓢ

Beta N.	TR
42	T05
42	T06
80	T79
1491	T264
1494	T264
1494E	T264
1494Q	T264
1494T	T264
1494XZN	T264
1496C	T264
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
1032	T145
1034	T145
1036	T145
1038	T145
1032	T146
1034	T146
1036	T146
1038	T146
977TX	T55
142SN	T46
1150BM	T137
1166BM	T137
1084BM	T137
1047	T151
1057A	T151
952	T63
1260	T167
1260N	T167
31/B6	
1262	T168
1262N	T168
111	T59
920/40	T59
951	T59
953	T59
1370	T59
1262L	T209
1264L	T209
96BPC/SC9	
666N/5	
666N/30	
720/C12	
910/16	
928A/C12	
966/C3	
1392	
1927P	



T05 T06 T79 T264



T80 T145 T146



T55 T46 T137 T151

T63



T167 T168 + 96BPC/SC9 + 31/B6

T59



T209



5910VG/3T

059101068

Assortment recommended for use with item C30M

5935VG/1MB

assortment of 98 tools for tool chest C35, in EVA foam trays



MB12



MB39



MB46

► Car repairs

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 Slip joint pliers boxed joints 250 mm
- 4 screwdrivers for slotted head screws ● 3x75-4x100-5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH1x80--PH2x100 mm
- 6 drivers for Torx® head screws ⊖ T8-T10-T15-T20-T25-T30
- 9 ball head offset hexagon key wrenches ⊖
- 6 offset hexagon key wrenches ⊖ 2-2,5-3-4-5-6
- 1 self - locking pliers 240 mm
- 19 1/2" square drive hexagon sockets ⊖ 10-11-12-13-14-15-16-17-18-19
20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊗
- 5 socket drivers for hexagon screws ⊖ 5-6-8-10-12 mm
- 1 circlip pliers straight, internal ⊖ 180 mm
- 1 circlip pliers bent, internal ⊖ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 flat chisels, ribbed type 200 mm
- 1 Heavy-duty diagonal cutting nippers ≤ 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer 35 mm

Beta N.	TR
42	MB12
55	MB12
1048	MB12
1260	MB46
1262	MB46
1267TX	MB46
96BPC/SC9	MB46
96T	MB46
1052	MB46
920A	MB39
920/21	MB39
920/22	MB39
920/25	MB39
920/42	MB39
920/55	MB39
920PE	MB39
1032	MB39
1034	MB39
1036	MB39
1038	MB39
35	MB39
1084BM	MB39
1150BM	MB39
1166BM	MB39
1370	MB39
1390	MB39

5935VG/1MB

059351321

Assortment recommended in combination with C35

5940SBK

assortment of 125 tools

► Motorcycle repairs

Quantity/Description

- 1 drift punches Ø 2 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 125 mm
- 10 combination wrenches 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm
- 6 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
- 9 offset hexagon key wrenches ⊖ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 click-type torque wrenches with reversible ratchets ⊗ 3/8", 8÷60 Nm
- 54 assortment of 52 hexagon bits, 10 mm, and 2 accessories
- 17 assortment of 12 sockets and 5 accessories
- 1 adaptor, 1/2" female and 3/8" male drives
- 2 spark plug socket ⊖ 14 - 16 mm
- 1 extra - long nose pliers ● 283 mm
- 2 circlip pliers straight, internal ⊖ 140 - 180 mm
- 1 circlip pliers straight, external ● 140x1,3 mm
- 1 diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish ≤ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish = 180 mm
- 1 screwdriver for Dzus® head screws ●
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 mm
- 1 circuit testing screwdriver ●
- 1 engineer's hammer 300 g
- 1 adjustable oil filter wrench
- 1 metric feeler gauge
- 1 mini hacksaw frame
- 1 Brass wire brush
- 1 plastic oil can 250 cc

Beta N.	TR
30	
32	
34	
42	
55	
96/SC9	
666N/5	
867/C52	
920A/C12X	
910/16	
956C	
1009L/A	
1032	
1036	
1082G	
1128BM	
1150G	
1201E/DZ	
1201E	
1202E	
1254	
1370	
1491	
1708/13	
1725CR	
1737	
1754	

5940SBK

059401082

Assortment recommended for use with items C41S - C41H - C42S - C42H - C42S - C41S



MC21



MC12



5941VU/M

assortment of 64 tools for trolley C41H, in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 9 offset hexagon key wrenches \odot
- 1 measuring tape 5 m
- 19 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \odot
- 2 1/2" wobble extension bar 125-250 mm
- 1 adjustable wrench 250 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 \ddagger 160 mm
- 1 electrician's scissors, straight blades 145 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm
- 3 screwdrivers for slotted head screws \bullet 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0-PH1-PH2
- 1 engineer's hammer 300 g
- 1 snap - off blade utility knife 18 mm

Beta N.	TR
42	MC12
96/SC9	MC12
1692/5	MC12
920A	MC21
920/25	MC21
920/42	MC21
920/55	MC21
920AN	MC21
111	
1048	
1082GBM	
1128BMX	
1150GBM	
1166GBM	
1260	
1262	
1370	
1771	

5941VU/M

059411002

Assortment recommended in combination with C41H

Beta

5945VUM

assortment of 231 tools in EVA foam trays

► Universal use

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 9 ball head offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35
- 2 flat chisels, ribbed type 100-200 mm
- 5 second cut files 200 mm
- 1 socket holder \odot 1/4 - \square 1/4
- 1 socket holder \odot 1/4 - \square 3/8
- 1 socket holder \odot 5/16 - \square 1/2
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series \odot 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws \odot 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws \bullet 0,8x4-1x5,5x1,2x6,5-1,2x8 mm
- 4 socket drivers for cross head Phillips® screws \oplus PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws \odot T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives \square 1/4 - \blacksquare 3/8
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle 176 mm
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet \odot 125 mm
- 17 hexagon hand sockets 3/8" \odot 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drivers \square 3/8 - \blacksquare 1/4
- 1 adaptor, 1/2" female and 3/8" male drives \square 3/8 - \blacksquare 1/2
- 1 extension bar - 3/8" 125 mm
- 1 extension bar - 3/8" 250
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle 210 mm
- 1 3/8" drive reversible ratchet \odot 200 mm
- 21 1/2" square drive hexagon sockets \odot 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives \square 1/2 - \blacksquare 3/8
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet \odot 275 mm
- 3 3/8" square drive spark plug sockets \odot 16 mm (5/8")-17,8 (11/16")-20,8 (13/16")
- 5 drivers for Torx® head screws, with handles \odot T10-T15-T20-T25-T30
- 1 Heavy-duty diagonal cutting nippers \ddagger 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 circlip pliers straight, internal \odot 19+60 mm
- 1 circlip pliers bent, internal \odot 19+60 mm
- 1 circlip pliers straight, external \bullet 19+60 mm
- 1 circlip pliers bent, external \bullet 19+60 mm
- 1 Slip joint pliers boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 38 microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension
- 6 screwdriver for slotted head screws \bullet 04x2,5x50-0,5x3x75-0,8x4x100-1,0x5,5x125-1,2x6,5x150-1,2x8x200 mm
- 1 screwdriver for slotted head screws, extra-short series \bullet 0,8x4x30 mm
- 4 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80PH2x100PH3x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1x30 mm
- 12 screwdrivers for Torx® head screws, with handles \odot T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver \bullet 0,5x3,5x100 mm

Beta N.	TR
	42
	MM11
96BPC/SC9	MM11
	96T
	MM61
	1370
	MM61
	1390
	MM61
	35
	MM61
1719BMA8/S5	MM61
	895/1
	MM105
	895/3
	MM105
	895/6
	MM105
	900
	MM105
	900L
	MM105
	900ME
	MM105
	900LP
	MM105
	900PH
	MM105
	900TX
	MM105
	900/16
	MM105
	900/20
	MM105
	900/20L
	MM105
	900/21
	MM105
	900/25
	MM105
900BG/30	MM105
	900/42
	MM105
	900/55
	MM105
	910A
	MM105
	910/15
	MM105
	910/16
	MM105
	910/21
	MM105
	910/22
	MM105
	910/25
	MM105
	910/42
	MM105
	910/55
	MM105
	920A
	MM105
	920/15
	MM105
	920/25
	MM105
	920AN
	MM105
	920AN
	MM105
	920/42
	MM105
	920/55
	MM105
	956E
	MM105
	97TTX
	MM140
	1084BM
	MM140
	1150BM
	MM140
	1166BM
	MM140
	1032
	MM140
	1034
	MM140
	1036
	MM140
	1038
	MM140
	1048
	MM140
	1052
	MM140
1256/C36-2	MM140
	1201E
	MM210
	1201EN
	MM210
	1202E
	MM210
	1202EN
	MM210
	1207E/TX
	MM210
	1253
	MM210



MM11



MM61



MM105



MM140



MM210



5954VG

assortment of 138 tools

► Car repairs

Quantity/Description	Beta N.
5 pin punches Ø 2-3-4-5-6 mm	31
1 centre punch Ø 4 mm	32
1 flat chisels 125 mm	34
18 combination wrenches 6÷22 - 24 mm	42
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
3 double ended offset ring wrenches 12x13 - 14x15 - 17x19 mm	90
13 offset hexagon key wrenches \odot 2+10 - 12 mm	96
4 1/2" drive impact sockets \odot 17 - 19 - 21 - 22 mm	720
20 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A
1 1/2" drive extension bar	920/21
1 1/2" drive extension bar	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \odot	920/55
3 hi-torque hexagon nut spinners, long series \odot 8 - 10 - 13 mm	943BX
10 T - handle wrenches with swivelling socket \odot 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	952
3 spark plug socket \odot 16 - 17,8 - 20,8 mm	956C
1 pry bar	964
1 circlip pliers straight, internal \odot	1032
1 circlip pliers bent, internal \odot	1034
1 circlip pliers straight, external \bullet	1036
1 circlip pliers bent, external \bullet	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 adjustable self locking pliers, long jaws 175 mm	1058
1 Diagonal cutting nippers \angle 160 mm	1082BM
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
1 circuit testing screwdriver \bullet 6÷24V	1254
1 screwdrivers for slotted head screws \bullet 8 x 200 mm	1260
1 screwdrivers for slotted head screws, extra-short series \bullet 6,5x30 mm	1260N
1 screwdrivers for cross head Phillips® screws \oplus 8 x 150 mm	1262
1 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH2x30 mm	1262N
5 drivers for Torx® head screws \odot T8 - T10 - T15 - T20 - T25	1267TX
8 set of screwdrivers	1263/D8
1 engineer's hammer 300 g	1370
1 dead blow hammer Ø 35 mm	1392
1 brake spring pliers 210 mm	1470
1 crimping pliers for non insulated terminals	1603
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/20
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
6 needle files 160 mm	1720/B6
1 plastic oil can 150 cc	1754

5954VG

059541054

Assortment recommended in combination with C54VG

5957VG

assortment of 174 tools



► Car repairs

Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
1 offset hexagon key wrenches Ø 2,5 ÷ 12 mm	96N/G7
8 offset key wrenches, for Torx® head screws ⌘ T9 ÷ T40	97TX/SC8
5 offset key wrenches with XZN® profile Ø M5 ÷ M12	98XZN/B5
1 adjustable wrench 250 mm	111
1 click-type torque wrenches with reversible ratchets ⌚ 1/2", 40÷200 Nm	666N/20
13 1/2" square drive hexagon sockets with rail Ø 10÷22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail Ø 23÷32 mm	920A/SB8
4 1/2" socket drivers for slotted head screws ● 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws ⌚ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet ⌚	920/55
2 1/2" drive impact sockets Ø 17 - 19 mm	720
10 T - handle wrenches with swivelling socket Ø 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm	952
3 T - handle swivel spark plug wrenches 14 - 16 - 20,8 mm	959
1 pry bar	963
1 wheel nut wrench Ø 1/2" - 17 - 19 - 22 mm	979
2 circlip pliers straight, internal Ø 140 - 180 mm	1032
2 circlip pliers bent, internal Ø 130 - 170 mm	1034
2 circlip pliers straight, external ● 140x1,3 - 175 mm	1036
2 circlip pliers bent, external ● 135x1,3 - 175 mm	1038
1 Slip joint pliers boxed joints 250 mm	1048
1 self - locking pliers 240 mm	1052
1 Diagonal cutting nippers ⚡ 160 mm	1082BM
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers = 180 mm	1150BM
1 Extra-long needle nose pliers ● 160 mm	1166BM
1 Extra-long bent needle nose pliers ● 200 mm	1168BM
2 screwdrivers for slotted head screws ● 8x200 - 10x200 mm	1260
1 screwdrivers for cross head Phillips® screws ⌚ PH3x150 mm	1262
8 set of screwdrivers	1263/D8
2 engineer's hammer 300 - 600 g	1370
1 soft face hammer Ø 35 mm	1390
11 roller stud extractors M5÷M16 mm	1433/C11
1 adjustable oil filter wrench	1491
1 circuit tester	1498
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/20
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 snap - off blade utility knife	1771
1 sliding gauge	1650

5957VG

059571007

Assortment recommended for use with items C57S A - C57S B - C57SP - C55PSP